

Snap on Interchangeable Socket Wrenches

Digitally Restored by Jacko May 2, 2015 jaksm1@excite.com

This PDF file is searchable

# Snapon

# Socket Wrenches



A Selected Kit for Every Car


Manufactured by SNAP-ON WRENCH COMPANY, Milwaukee, Wis.

Distributed by

MOTOR TOOL SPECIALTY COMPANY,

14 E. Jackson Boulevard, Chicago

Branches Everywhere



# An Interchangeable Socket Wrench Kit Specially Selected for Any Car

The interchangeable socket wrench idea is not new, but the point of perfection to which it is brought in Snap-on Interchangeable Socket Wrenches is new, and worth knowing about.

It has been possible heretofore to purchase interchangeable socket wrenches in sets. But such a purchase has meant ownership of and payment for many units in a set that would not fit the nuts and bolts on the car owned by the purchaser. It meant also the problem of storing a bulky box in a car, or having the wrenches only available when the car was in the garage. And finally, the average socket wrench set, with sockets pressed from tubing, is not equal to the unusual strain that must often be met.

With the advent of Snap-ons, the interchangeable socket wrench reached the point where it was valuable to all motorists. The use of special steels in handles and sockets, and the milling of all sockets from solid bar steel, provided strength to meet any emergency. And through study of the needs of each individual car and the selection of a specific group of Snap-on handles and Snap-on sockets to fully service each car with all excess units eliminated, the car owner has been supplied with the means of servicing his car in garage style.

# Who Needs Socket Wrenches in Your Town?

Everybody—who owns, drives or works on cars, trucks, tractors or farm machinery.

That measures your particular Snap-on market in terms of possibilities. What it measures in profits is largely up to you, since we are doing our share in working that market by giving you a stock of the best socket wrenches on the market, crammed with features that make them ready sellers, plus the big, exclusive feature—the selected Kit. We have compiled the "What Car Do You Drive?" book to make easy the selection and sale of Kits for individual cars, will supply you with plenty of counter literature, and if you say the word, we will trim your window for you. What remains for you to do is to push Snapons right to every prospect that comes into your store. You can bank on at least 50 % of your trade being Snap-on prospects, which gives you plenty of opportunity for frequent sales and big profits.

Go after every car owner that comes in and talk the Snap-on Kit, specially selected for his car. Go after the garage mechanic and repairman with the Snap-on Master Mechanic's Set. Talk the Heavy Duty Set to the man who owns a truck or tractor or any farm machinery. They are your market, and they actually want Snap-ons. But they don't always know it, and you've got to tell them so.

# The Snap-on Base of Operations



No. 850 Dealer Display and Stock Set


On this mahogany finished display board is grouped the complete Snap-on line, from which a Snap-on Kit to fit any car listed in this book may be quickly selected. There is practically no socket wrench need that cannot be met from this board. It should be thoroughly merchandised to customers, by keeping it always in sight, always fully equipped, and by calling attention to it whenever the opportunity presents itself. Keeping it fully equipped is the most important of all to remember, for if you sell tools from the board and do not replace them, customers cannot get at a glance the great adaptability of Snap-ons. Moreover, men who own Snap-on Kits now will buy additional units, if they see them on display and know they can be had.

# Snap-On Adaptability




To make more easily understood the great adaptability of Snap-on Interchangeable Socket Wrenches and the surprising number of combinations which can be made up from one Snap-on Kit, we are illustrating above the Snap-on Buick Kit, and to the right the combinations possible in this one kit.

Below is illustrated the huge heap of tight socket wrenches a car owner would need to accomplish what the few units in the Buick kit above will accomplish.



There are 60 combinations in the illustration below, every one of which replaces a tight socket wrench, yet they are built up from only the 11 Snap-on units, in Buick set costing but a few dollars and taking up little room under the car seat.



#### Combinations Made From Individual Sets




In the trays at the bottom of the display boards shown above are two Snap-on Selected Kits, one for the Studebaker and one for the Dodge. The startling display of combinations on the two boards further illustrates the almost limitless flexibility of Snap-ons. The car owner has only a light, compact kit to stow away, yet when he needs them, he has combinations at his command that enable him to make practically any repair or do any overhaul job his car can offer.




In the Chevrolet Special Kit pictured, there are only nine Snap-on units, yet from them can be built up all the combinations arranged on the board above. The same wide range of adaptability is evident in the Snap-on Selected Kit for Farmers, which gives the farmer a socket wrench combination to fit anything his farm machinery or car can offer, with only a few units to pay for and keep track of.

# Snap-on Utility

On these two pages is shown the wide range of utility possible with Snap-ons. There is no limit to the sale of Snap-ons as long as there is a nut or bolt to be gotten at and turned anywhere. It is simply a matter of finding what the size of nut or bolthead is, and its location, and then building up a combination of Snap-on units to handle the job in the easiest, quickest way.





There are handles for all purposes, sockets to fit all standard sizes of hexagon and square nuts, bolts and cap screws, and attachments to go around corners and into hard-to-reach places. Once a combination is made, its usefulness is multiplied by the number of sockets you can sell the man who buys it. Selling sockets is like the sale of Victrola records—after your customer has one or more Snap-on handles invite him to come back for additional sockets as he needs them.


# The Proper Display of Snap-ons



Proper display of Snap-on Interchangeable Socket Wrenches accomplishes 25% of the work of selling them. They are good looking tools that attract the attention of every man who owns or drives a car, and everything about them inspires confidence and arcuses curiosity. Thus the more advantageously they are displayed, the more frequent will be the inquiries that can be turned into sales.

Above all, it is important that a Snap-on display should best illustrate their adaptability and make clear the wide range of cars they will serve. Therefore, we have had prepared the standard display illustrated above for the dealer's window, for which we will supply the lithographed cards gratis. And we will gladly arrange, wherever possible, to have our representative help you set up this display.

# The Snap-on Guarantee



The Snap-on Guarantee was written for the dealer and the customer. It protects both absolutely against loss through defective tools, and we urge that it be remembered should any defects occur.

If a customer brings a defective Snap-on unit back to you, replace it immediately without question from your stock. Then mail the defective piece to the Snap-on Wrench Company, Milwaukee, Wisconsin, and it will be replaced to you absolutely without charge.

# How to Use this Book to Build Snap-on Sales


The main purpose of this book is to back up a comprehensive socket wrench department with specific wrench information covering all makes of cars, and placing you in a position to function as a socket wrench expert.

There is a big demand on the part of car owners for "the right wrench," which you can cash in on if car owners know you can advise them and furnish the wrenches in a jiffy. You can do both of these with this book. There are several types of Snap-on sales you you can easily make:

- 1. The man who comes in and wants a wrench for a certain adjustment on a certain make of car. Turn to the chart for that car, see if the adjustment is listed, and snap the right socket on the right handle. Your sale is two-thirds made. Next try to promote this inquiry into a kit sale as listed for this particular car by showing the prospect that he can have in his car a few Snap-on units that can be made into 30 to 70 combinations for all adjustments including the one he is immediately after, at small cost.
- 2. Try to get car owners started using Snapon handles and sockets if you can only sell one or two on the first sale, with the argument that they can come back for more sockets as the need arises. Point out that if a car owner has two Snap-on handles, he can buy a Snap-on Socket at any time for 30 cents

and have two more socket wrenches at a cost of 15 cents each. If he has three handles, he will have three more socket wrenches at 10 cents each, and so on. Snap-on dealers frequently report the same customer coming back again and again for more sockets and handles.

- 3. The mechanic, working on all makes of cars, will be interested in the No. 101 Master Service Set giving him 330 combinations to work with. If he is low on funds he can buy a few units at a time until he has acquired the whole set.
- 4. The farmer represents a great field where Snap-ons can be easily sold to displace clumsy monkey wrenches and open end wrenches of limited adaptability. You can get him started with a few handles and sockets for his car, tractor or farm machinery, and prove to him that he can actually get the finest socket wrenches on the market for ten or fifteen cents a combination after he has once invested in a few handles. Selling the farmer is only a matter of getting the first sale across on a basis of low cost and high quality and utility. He will tell his neighbors.
- 5. A field of sale for Snap-ons that is growing greater daily is to the engineers of industrial plants and office buildings for plant maintenance use. Usually the exhibition of Snap-ons to engineers and a brief talk on their compactness and wide usefulness will result in almost automatic sale. See Cabinet B-12.



# Snap-on Master Service Set No. 101-B

Here, in compact form, are the Snap-on Master Service Set and Heavy Duty Master Service Set, assembled in metal boxes. These sets are especially attractive to the mechanic working on all makes of cars, more than 300 combinations can be made from one set and 64 from the other. Their equivalent in tight socket wrenches would cost from \$60 to \$80 and weigh from 80 to 100 pounds.

No. 101B Snap-on Master Service Set......\$18.25 No. 202B Snap-on Heavy Duty Set......\$10.80 Prices are complete in boxes.


# Snap-on Heavy Duty Set No. 202-B




Snap-on Heavy Duty Set in Black Enamel Steel Box

#### Snap-on Handles and Attachments

The Snap-on handles and attachments shown below are the six standard types of automotive repair handles, two extension bars for lengthening shafts, ratchet and universal for tight places and getting around corners. Handles are of high grade special analysis 1/2" steel, bent cold.




### Snap-on Flexible Sockets



### Snap-on Screwdriver Shafts

Snap-on Screwdriver Shafts are of the same high quality as are all other Snap-on units, and can be snapped on and off Snap-on handles in the same manner as Snap-on Sockets. They can be used in connection with ratchet and universal for the hard-to-get-at screws.



# Snap-on Hexagon Sockets with ½ inch Handle Opening



No. 140 7/16" \$0.30



No. 220 11/16" \$0.30

No. 300-1/2

15/16"

\$0.50



No. 160 1/2" \$0.30



No. 240 3/4" \$0.40



No. 180 9/16" \$0.30



No. 250 25/32" \$0.40



No. 190 19/32" \$0.30



No. 260 13/16" \$0.40



No. 200 5/8" \$0.30



No. 280 7/8" \$0.40



No. 310-1/2 31/32" \$0.50



No. 320-1/2 1-inch \$0.50

Snap-on Sockets are milled from selected bar steel and are carefully heat-treated so they'll never round out, and tapered to go in the tight places.

# Snap-on Square Sockets with ½ inch Handle Opening



No. 412 3/8" \$0.30



No. 414 7/16" \$0.30



No. 416 1/2" \$0.35



No. 418 9/16" \$0.35



No. 420 5/8" \$0.40



No. 422 11/16" \$0.40



No. 424 3/4" \$0.50



No. 428 7/8" \$0.50



No. 432 1-inch \$0.60

# Snap-on Heavy Duty Handles and Sockets % inch Handle Opening

For larger nuts and bolts on cars, trucks and tractors



#### No. 202 Heavy Duty Set

Consisting of one each of above handles, extension bars and sockets.



No. H D 1 List \$0.50 each

#### Snap-on Adaptor

The Snap-on Adaptor has a  $\frac{5}{8}$ " shank and  $\frac{1}{2}$ " opening, which enables a user to attach a heavy duty socket to a light handle from the Master Service Set.

#### Snap-On Milled Hexagon Sockets

Sizes of hexagon socket openings given are rated dimensions across flats 015" is added for clearance Sizes of all nuts or bolts given are diameters of thread, or bolt

Socket No	Size of Hex Opening	Fits S A E Nuts & Cap Screw	FitsU S S Nuts	FitsU S S CapScrews	List Price
140	7/16	1/4		1/4	.30
160	1/2	5/16	1/4	5/16	.30
180	9/16	3/8		3/8	.30
190	19/32	'	5/16	, ,	.30
200	5/8	7/16		7/16	.30
220	11/16	8.55	3/8		.30
240	3/4	1/2	, ,	1/2	.40
250	25/32		7/16	85000	.40
260	13/16			9/16	.40
280	7/8	%16	1/2	9/16 5/8	.40
300	15/16	9/16 5/8			.50
310	31/32		9/16		.50
320	1	11/16		3/4	.50
340	1 1/16	3/4	5/8	, ,	.65
360	1 1/8			1/8	.70
400	1 1/4	7/8	3/4	1	.70
440	1 3/8			1 1/8	.80
460	1 716	1	7/8		.80
480	1 1/2		, ,	11/4	.80

Sockets No 140 to No 280 inclusive are made with openings (1/2" square) to fit only all handles and attachments contained in the No 101 Snap-on Master Service Set.

Sockets No 300 to No 480 inclusive are made with openings (\%'' square) to fit only all handles and attachments contained in the No 202 Snap on Heavy Duty Set Except that sockets No 300, 310 and 320 can be furnished with either \\'2'' or \\'8'' handle openings If \\'2'' is desired, order as No 300\\'2, No 310\\'2 or 320\\'2 Other sizes of large sockets can be used on the No 101 set handles only by adding the No H D 1 Adaptor.

#### Snap-On Milled Square Sockets

Socket No	Size of Square Opening	Fits U S S Sq. Nut	FitsU S S Sq Hd Cap Sc	Sq Hd Set Scr.	List Price each
412	3 8			3/8	.30
414	7/16		5/16	7/16	.30
416	1/2	1/4	3/8	1/2	.35
418	9/16		7/16	9/16	.35
420	5 %		1/2	5/8	.40
422	11/16	3 8	9/16	15 225	.40
424	3/4	5 %	5/8	3/4	.50
428	7/8	15	34	7/8	.50
432	1			1	.60

#### Snap-on Mechanic's Tool Cabinet No. B-12



The Mechanic's Tool Cabinet shown above, stamped from steel and finished in olive green enamel, is made for the mechanic or Plant Engineer who wants a cabinet for the entire Snap-on line, and who wants to know exactly where his tools are when he wants them.

B-12 Cabinet, without tools......\$6.00 B-12 Cabinet complete with tools..\$34.25

#### **Motor Tool Tray**



Designed for handy use on garage floor. Stamped steel, olive green finish, accommodates all small tools.

Price.....\$3.00



The No. 101 Master Service Set shown above has a tremendous appeal to garage mechanics working on all types of cars. The set as shown has been sold to over 150,000 mechanics for their own use and the fact that most of them are ardent boosters for Snap-Ons has created a big demand not only for replacements, and to other mechanics but also to the mechanically inclined car owner who has seen Snap-Ons in use and asks where they can be purchased. The hexagon sockets in the above set are Nos. 140 to 280, inclusive, and take everything from ¼ to 5/8 SAE and USS. Dealers can order No. 101 Master Service Sets in corrugated boxes or in metal box, (See No. 101B) or set can be assembled from miscellaneous stock.

### **Index for Cars**

#### Not Listed Alphabetically

CAR	INDEX
Anderson	Continental Motor
Auburn	Continental Motor
Barley	Continental Motor
Case	Continental Motor
Courier	Falls Motor
Crawford	Continental Motor
Crawford-Dagmar	Continental Motor
Davis	Continental Motor
Elcar 4-40	Lycoming Motor
Elcar 6-60	Continental Motor
Elgin	Falls Motor
Flint	Continental Motor
Grant	Falls Motor
Haladay	Falls Motor
Hanson	Continental Motor
Kelsey	Lycoming Motor
Noma	Continental Motor
Paterson	Continental Motor
Primo	Falls Motor
Roamer	Continental Motor
Sayers Six	Continental Motor
Seneca	
Washington	Continental Motor
Westcott	

# For Any Car Not Listed

suggest the following assortment that will take care of most of the important servicing jobs.

No. 160	1/3" Socket\$ .30
No. 180	%6" Socket
No. 200	5/4" Socket
No. 220	11/16" Socket
No. 240	3/4" Socket
No. 280	7/8" Socket
No. 5	Brace 1.50
	Universal Joint 1.50
No. S. 5	Sliding Tcc
	Short Extension Bar55
	Long Extension Bar
	Price\$6.75
	Leatherette Kit Bag 50
	Complete

### BUICK

The selected Snap-on Kit for all late model Buick cars contains:

No. 160 1/2" Socket\$ .30	)
No. 180 %6" Socket	)
No. 200 3/8" Socket	)
No. 220 1316" Socket	)
No. 240 34" Socket	)
No. 1 Offset	)
No. 3 Long Tee 1.00	)
No. 5 Brace 1.50	;
No. 8 Universal Joint 1.50	)
No. S-5 Sliding Tec	)
No. S-12 Long Extension Bar	)
Price, Snap-on Buick Set \$7.60	
Leatherette Kit Bag50	
Complete\$8.10	

Some of the important servicing jobs on the Buick cars to which the above Snap-on tools are perfectly adapted:

	Size	Handle	Attachments
Cover for timing gears	310"	Long T.	
Connecting Rods	216	Long T.	
Main Bearings	3,00	Sldg. T.	10" Ex. Bar
Crank Case	1/2"	Brace	10" Ex. Bar
Cylinder to Base	34"	Brace	Univ. Joint
Diff. Housing, Front	34"	Long T.	
Differential Housing	3/8"	Offset	
Exhaust Manifold	916"	Long T.	
Fender to Frame	1/2"	Offset	
Front Wheel Hub Flange		Offset	
Generator Support	5.6"	Long T.	Univ. Joint
Head Lamp Brackets	12"	Offset	
Radiator Support	1/2"	Brace	10" Ex. Bar
Water Pump & Support.	%6"	Long T.	
Steering Arm	954"	Sldg. T.	
Steering Gear Case Sup.	V."	Long T.	
Demountable Rims	34"	Brace	
Transmission Cover	%10"	Long T.	
Transmission Case	34"	Sldg. T.	
Universal Joint	1/8"	Offset	

Mechanics will buy the Master Service Set complete.

# **CADILLAC**

The selected Snap-on Kit for all late model Cadillac cars contains:

No. 160	1/2" Socket\$ .30
No. 180	%16" Socket
No. 200	5/6" Socket 30
No. 240	34" Socket
No. 250	<sup>25</sup> / <sub>32</sub> " Socket
No. 260	<sup>13</sup> / <sub>16</sub> " Sockεt
No. 280	7/8" Sockεt
No. 1	Offset
No. 2	Short Tee
No. 3	Long Tee 1.00
No. 5	Rim Brace 1.50
No. 8	Universal Joint 1.50
No. S-5	Sliding Tee
No. S-12	Long Extension Bar 60
	Snap-on Cadillac Set \$9.45 erette Kit Bag50
Set Co	mplete in Carton \$9.95

Some of the important servicing jobs on the Cadillac cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Motor Block, Outer Nuts	25/32"	Long T.	Univ. Jt.
Exhaust Manifold Nuts	9/16"	Short T.	
Crank Case Bolts	216	Short T.	
Timing Case Cover	5/8"	Offset	
Pump Nuts & Bolts	9/16"	Long T.	
Demountable Rims	5/8"	Brace	
Transmission Case	5/8"	Offset	
Differential Housing	3/4"	Brace	10" Ex. Bar
Generator Bolts	3/4"	Brace	10" Ex. Bar
Clutch Housing	13/16"	Offset	and the second second second second
Model 57 Cylinder Head			
Bolts	25/32"	Long T.	
Connecting Rod Fork	1/2"	Long T.	
Connecting Rod	5/8"	Long T.	
Crank Shaft, Main Bear-	, ,		
ing	7∕8″	Long T.	

# CHALMERS

The selected Snap-on Kit for all late model Chalmers cars contains:

No. 140	7/16" Socket	
No. 160	½" Socket	
No. 180	%16" Socket	
No. 200	5/8" Socket	
No. 220	<sup>1</sup> / <sub>16</sub> " Socket	
No. 240	3/4" Socket	
No. 250	<sup>25</sup> / <sub>32</sub> " Socket	
No. 260	<sup>13</sup> / <sub>16</sub> " Socket	
No. 280	7/8" Socket	
No. 300 1/2	<sup>15</sup> / <sub>16</sub> " Socket	
No. 424	3/4" Sq. Socket	
No. 3	Long Tee 1.00	
No. S-5	Sliding Tee	
No. S-12	Long Ext. Bar	
Leather	nap-on Chalmers Set. \$6.30 rette Kit Bag50 nplete—in carton\$6.80	

Some of the important servicing jobs on the Chalmers cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Cylinder Head	11/16"	Sldg. T.	10" Ex. Bar
Water Con. to Head	1/2"	Sldg. T.	
Fan Adjustment	11/16"	Sldg. T.	
Timing Gear Case	1/2"	Sldg. T.	
Motor Support	3/4"	Sldg. T.	
Water Pump to Block	9/16"	Sldg. T.	
Water Pump to Flange	/16"	Sldg. T.	
Gen. to Timing Gear	9/16"	Sldg. T.	10" Ex. Bar
Crank Case	9/16"	Long T.	
Crank Case Oil Plug		Long T.	
Tie Rod Bolts	3/11	Long T.	
Tie Rod Yoke adj. Clamp	25/32	Sldg. T.	
Spindle Body Bolt	9/16"	Sldg. T.	
Disc Wheel Flange	1/8"	Sldg. T.	
Spindle Arm Pivot Bolt		Sldg. T.	
Fr. & Rr. Spring Shackles	/	Sldg. T.	
Br. Adj. top and Bottom	201 11	Sldg. T.	10" Ex. Bar
Fender to Frame	3/4"	Sldg. T.	
Demountable Rims	5/8"	Long T.	
Conn. Rods	5/8" 5/8"		10" Ex. Bar
Main Bearings		Sldg. T.	

### **CHANDLER**

#### The selected Snap-on Kit for all late model Chandler cars contains:

No. 140	7/16" Socket\$ .30
No. 160	1/2" Socket
No. 180	%6" Socket
No. 190	19/32" Socket
No. 220	11/16" Socket
No. 240	3/4" Socket
No. 260	<sup>13</sup> / <sub>16</sub> " Socket
No. 280	7/8" Socket
No. 1	Offset
No. 3	Long Tee 1.00
No. 5	Rim Brace 1.50
No. 8	Universal Joint 1.50
No. S-5	Sliding Tee
No. S-12	Long Extension Bar
Price,	Snap-on Chandler Set \$8.70
	rette Kit Bag
	mplete—in carton\$9.20

Some of the important servicing jobs on the Chandler cars to which the above Snap-on tools are perfectly adapted:

1916		
Skt. Size	Handle ·	Attachments
1/2".	Long T.	
		Univ. Jt.
· · · · · · · · · · · · · · · · · · ·	Offset	
	Sldg. T.	
3/4"		10" Ex. Bar
1/2"		Univ. Jt.
		10" Ex. Bar
3/4"		10" Ex. Bar
1/2"		
1/2"		
	7-1-1	
	[ - [ 전보통증하게 10 11 11 12 12 11]	
3/4"		
3/11	10.12° = 0.0	
7/8"	\$1.00 miles 1.00 miles	
9/16		
7/8"	The Company of the Co	
19/32"		
7/8"	_	
13/16"		10" Ex. Bar
9/16"	Sldg. T.	
	Size  1/2" 9/16" 9/16" 3/4" 9/16" 1/2" 7/16" 1/16" 9/16" 3/4" 7/8"	Size   Long T.   Long T.   Long T.   Coffset   Sldg. T.   Sldg. T.   Sldg. T.   Sldg. T.   Long T.   Long T.   Coffset   Brace   Sldg. T.   Offset   Long T.   Coffset   Long T.   Coffset   Long T.   Coffset   Sldg. T.   Sldg. T.

### CHEVROLET

The selected Snap-on Kit for all late model Chevrolet cars contains:

No. 160 1/2" Socket\$ .30
No. 180 % Socket
No. 200 58" Socket
No. 220 11/16" Socket
No. 240 34" Socket
No. 260 13/16" Socket
No. 1 Offset
No. 3 Long tee 1.00
No. S-5 Sliding Tee
No. S-12 Long Extension Bar
Price, Snap-on Chevrolet Set \$5.00
Leatherette Kit Bag50
Set complete—in carton\$5.50

Some of the important servicing jobs on the Chevrolet cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Carburetor to Intake	1/2"	Offset	
Connecting Rods	9/16"	Long T.	
Cylinder Head	3/4"	Long T.	
Demountable Rim	3/4"	Long T.	
Differential Housing	1/2"	Offset	
Exhaust Manifold	9/16"	Offset	
Fender to Frame	%16"	Sldg. T.	
Generator Support	5/8"	Offset	
Intake Manifold	9/16"	Offset	a location and a second
Main Bearings	3/4"	Sldg. T.	10" Ex. Bar
Motor Support	11/"	Long T.	
Radiator Support	5/8"	Offset	
Spring Clips, Bolt & Nut	13/16"	Sldg. T.	
Transmission Cover	1///	Long T.	
Universal Joints	1/2"	Offset	
Water Cylinder Inlet	1/2"	Sldg. T.	
Crank Case	1/2"	Long T.	

Don't forget to show your customer the Snap-on Ratchet and Universal Joint. They add greater convenience and utility to any car owner's set.

# **CLEVELAND**

The selected Snap-on Kit for all late model Cleveland cars contains:

No. 140	7/16" Socket\$ .30
No. 160	1/2" Socket
No. 180	9/16" Socket
No. 190	<sup>19</sup> / <sub>32</sub> " Socket
No. 300 1/2	
No. 200	5/8" Socket
No. 240	3/4" Socket
No. 280	7/8" Socket
No. 416	1/2" Sq. Socket
No. 420	5/8" Sq. Socket
No. 422	11/16" Sq. Socket
No. 1	Offset
No. 3	Long Tee 1.00
No. S-5	Sliding Tee
No. S-12	Long. Ext. Bar
Price,	Snap-on Cleveland Set. \$6.95
	rette Kit Bag
	nplete—in carton\$7.45

Some of the important servicing jobs on the Cleveland cars to which the above Snap-on tools are perfectly adapted:

	Skt.		
	Size	Handle	Attachments
Brake Nut Adjustment	3/4"	Sldg. T.	
Clutch Adjustment	5/8"	Sldg. T.	
Crank Case Mot. Block	1/2"	Long T.	
Crank Case Oil Drn. Plug	$\frac{1}{2}''$ sq.	Long T.	
Demountable Rims	3/4"	Long T.	
Connecting Rods	9/16"	Sldg. T.	
Cylinder Head	3/4"	Long T.	
Exhaust Manifold	1/2"	Long T.	
Spring Shackles, Front	15/16"	Sldg. T.	
Spring Shackles, Rear	7/8"	Sldg. T.	
Front Spring Clips	1/0"	Sldg. T.	
Fan Pulley	3/1"	Sldg. T.	
Fen. to Fen. Bracket	19/32"	Offset	
Fender to Frame	. 716	Offset	
Main Bearings		Sldg. T.	10" Ex. Bar
Motor Supports	3/4"	Sldg. T.	
Steering Arm Clamp	\$ 9/16"	200	
Bolt	3/4"	Offset	
Transmission Cover	1/2"	Sldg. T.	
Trans. Drain Plug	11/16"sq.	Sldg. T.	10" Ex. Bar
Tr. Insp. Plug & Oil Drain	5/8" eq.	Sldg. T.	
Valve Head Cover	The second secon	Offset	
Water Pump Flange	7/16"	Sldg. T.	
Differ. Housing Fr. & Rr.	16"	Sldg. T.	

# COLE

The	selected	Snap-on	Kit	for	all	late	model
		Cole cars	con	tain			

No. 140	7/16" Socket
No. 160	½" Socket
No. 180	%16" Socket
No. 200	5/8" Socket
No. 220	11/16" Socket
No. 240	3/4" Socket
No. 250	<sup>25</sup> / <sub>32</sub> " Socket
No. 300 ½	<sup>15</sup> / <sub>16</sub> " Socket
No. 320 1/2	1" Socket
No. 412	3/8" Sq. Socket
No. 1	Offset
No. 3	Long Tee 1.00
No. 5	Brace 1.50
No. S-5	Sliding Tee
No. S-6	Short Ex. Bar
No. S-12	Long Ex. Bar
Price	, Snap-on Cole Set \$8.65
	nerette Kit Bag50
220	

Some of the important servicing jobs on the Cole cars to which the above Snap-on tools are perfectly adapted:

Set complete—in carton...\$9.15

	Skt. Size	Handle	Attachments
Cylinder Head Bolts	\ \begin{pmatrix} 5/8'' \ \ \frac{11/16''} \end{pmatrix}	Brace	10" Ex. Bar
Exhaust Manifold	9/16"	Sldg. T.	
Water Outlet to Cyl. Hd.	9/16"	Sldg. T.	10" Ex. Bar
Valve Cover Plate	9/16"	Sldg. T.	
Front Motor Support	11/16"	Sldg. T.	10" Ex. Bar
Water Pump Flange	7/16"	Sldg. T.	
Ex. Manifold Flange	25/32"	Sldg. T.	
Rear Motor Support	25/32"	Sldg. T.	
Water Con. to Rad'tor.	9/16''	Sldg. T.	
Shock Absorb. to Frame	3/1	Sldg. T.	
Lamp to Bracket	i"	Sldg. T.	A
Radiator Support	3/4"	Long T.	
Crank Case	1/2"	Long T.	
Oil Pump Drain Plug	$\frac{3}{8}$ " sq.	Sldg. T.	10" Ex. Bar
Transmission Cover	1/2"	Long T.	
Rear Spring Shackle	15/16"	Sldg. T.	
Axle Housing, rear	9/16"	Long T.	
Rear Spring U Bolts	15/16"	Sldg. T.	
Brake Adjustments	11/16"	Sldg. T.	
Main Bearings	11/16"	Sldg. T.	10" Ex. Bar
Connecting Rod	1/2"	Sldg. T.	10" Ex. Bar
Demountable Rims	11167	Brace	

### COLUMBIA

# The selected Snap-on Kit for all late model Columbia cars contains:

	30
No. 160 ½" Socket	30
No. 180 %16" Socket	30
	30
No. 220 $\frac{11}{16}$ Socket	30
No. 240 3/4" Socket	40
No. 280 % Socket	40
No. 300 ½ 15/16" Socket	50
	80
	00
No. 5 Brace	50
	60
	60
No. 8 Universal Joint 1.	50
Price, Snap-on Columbia Set\$8.80	
Leatherette Kit Bag	
Set complete—in carton \$9.30	•

Some of the important servicing jobs on the Columbia cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Front End Cover	1/2"	Offset	
Oil Pan	1/2"	Brace	10" Ex. Bar
Steering Gear Cover	7/16" 5/8"	Offset	
Cylinder Head Nuts	5/8"	Brace	10" Ex. Bar
Manifold Nuts	9/16"	Long T.	
Lamp to Bracket		Sldg. T.	
Lamp Bracket	716	Sldg. T.	
Spring Clips	3/4" 15/6"	Sldg. T.	
Shackle Bolts	15/6"	Sldg. T.	
Transmission Cap	9/16"	Offset	
Differential Housing	9/16"	Offset	
Demountable rims	3/4" 7/8"	Brace	
Brake Adjustment	7/8"	Long T.	Univ. Joint
Axle Nuts	15/16"	Brace	<del></del>
Connecting Rod	9/16"	Long T.	
Main Bearings	5/8"	Long T.	
Fender Brace	11/16"	Long T.	
Running Board to Sup	9/16"	Long T.	
Fender Bolts & Nut	9/16"	Long T.	10" Ex. Bar
Water Pump	1/2"	Offset	
Starter Support	9/16"	Offset	
Pump Shaft—Nuts	7/16"	Offset	
Fan to Bracket	7/8"	Sldg. T.	

### CONTINENTAL MOTOR

The selected Snap-on Kit for all late model Continental Motor equipped cars contains:

No. 160	½′′ So	cket.										\$.30	)
No. 180												.30	)
No. 200		cket.										.30	)
No. 220		cket.										.30	)
No. 240		cket.										. 40	)
No. 1	Offset					٠						. 80	)
No. 3	Long Tee											1.00	0
No. 5	Brace											1.50	0
No. S-5	Sliding T	ee										. 60	)
No. S-1	2 Long E	c. Bar	•									. 60	)
No. S-6	Short Ex	Bar.		 •			•					. 5	5
	, Snap-o								2	\$	6	.65	

Some of the important servicing jobs on the Continental Motor equipped cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Cylinder Head	11/16"	Brace	10" Ex. Bar
Exhaust Pipe	11/16"	Offset	
Main Bearings		Sldg. T.	
Connecting Rod	11/16"	Long T.	
Timing Gear Cover	1/2"	Offset	
Motor Sup. to Frame	3/4"	Sldg. T.	5" Ex. Bar
Water Pump Conn	1/2"	Offset	
Generator Support	9/16"	Sldg. T.	
Starting Motor Support.	5/8"	Sldg. T.	
Fly Wheel Housing	9/16"	Offset	
Crank Case	1/2"	Brace	10" Ex. Bar

Adjustment for Borg & Beck clutch—No. 1 Offset Handle and No. 200 5/8" Socket.

Suggest Snap-On Screw Driver Blades to Your Customers - Fit All Handles and Units.

# **DODGE**

# The selected Snap-on Kit for all late model Dodge cars contains:

No. 140 7/6" Socket\$ .30
No. 160 1/2" Socket
No. 180 % Socket
No. 200 58" Socket
No. 220 11/16" Socket
No. 240 34" Socket
No. 280 78" Socket
No. 2 Short tee
No. 5 Brace 1.50
No. S-5 Sliding Tee
No. S-12 Long Extension Bar
Price, Snap-on Dodge Set\$5.95 Leatherette Kit Bag50
Set complete—in carton\$6.45

Some of the important servicing jobs on the Dodge cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Cylinder Head	11/16"	Вгасе	10" Ex. Bar
Timing Gear Cover	1/2"	Sldg. T.	10 211 241
Diff. Housing Gear	7/16"	Sldg. T.	10" Ex. Bar
Diff. Housing, Front	9/11	Sldg. T.	
Exhaust Manifold	9/16 9/16"	Sldg. T.	10" Ex. Bar
Flywheel Housing Bolt	,		56
& Nut	1/2"	Sldg. T.	
Front Wheel Hub Flange	11/18	Sldg. T.	
Gear Case Cover	716	Sldg. T.	
Headlight Bracket	9/16 /16	Sldg. T.	
Intake Manifold	1/2"		10" Ex. Bar
Oil Pan	1/2"		10" Ex. Bar
Spring Clips, Front Axle	11/16"	Sldg. T.	10" Ex. Bar
Spring Shackles, Front.	3/4"	Sldg. T.	
Steering Gear Case	, ,		
Cover and Spt	5/8"	Sldg. T.	
Tie Rod	9/16		10" Ex. Bar
Transmission Cover	5/8"	W. Charles M. C. C. College	10" Ex. Bar
Universal Joint	9/16"	Sldg. T.	
Connecting Rods	1116"	Sldg. T.	10" Ex. Bar
Main Bearings	3/1"	Sldg. T.	.10" Ex. Bar
Water Cylinder Inlet	9/16"	Short T.	
Demountable Rim	16 5/8" 3/4"	Brace Brace	

# DORT

# The selected Snap-on Kit for all late model Dort cars contains:

No. 140	7/16" Socket\$ .30	)
No. 160	1/2" Socket	)
No. 180	916" Socket	)
No. 200	5/8" Socket	)
No. 240	34" Socket	)
No. 280	78" Socket	)
No. 300 ½	<sup>15</sup> / <sub>16</sub> " Socket	)
No. 1 O	fset	)
No. 3 Lo	ng Tee	)
No. 5 B	ace	)
No. S-5 Sli	ding Tee	)
No. S-12	ong Ext. Bar	)
No. 8 U	iversal Joint 1.50	)
Price, S	nap-on Dort Set \$8.50	
Leather	ette Kit Bag	
Set com	plete—in carton\$9.00	

Some of the important servicing jobs on the Dort cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Shackle Bolts	15/16" 5/8"	Sldg. T.	
Spring U. Bolts	5/8"	Sldg. T.	
Radiator Support	34"		Universal Jt.
Wheel Nuts-Disk Type	34"	Brace	_
Demountable Rims	34"	Вгасе	
Fender to Frame	1/2"	Offset	
Head Lamp to Brace	7/0"	Offset	
Running Board	716"	Long T.	
Differential Housing	716	Offset	
Brake Rod	1/2"	Offset	
Brake Drum Housing	15/16	Sldg. T.	
Rear Spring Shackle Nut	3/4"	Sldg. T.	
Transmission Cover	1/2"	Offset	
Motor to Frame	5/6"	Sldg. T.	
Main Bearings	5/8"	Brace	
Connecting Rod	716	Brace	
Crank Case	1/2"	Brace	10" Ex. Bar
Exhaust Nut-Bottom	5/8"	Long T.	A STATE OF THE STA
Exhaust Nut—Top	9/16"	Long T.	
Cylinder Head	5/8"	Вгасе	10" Ex. Bar
Water Outlet & Inlet	9/16"	Sldg. T.	
Front Motor Sup. Bolt .	9/16"	Offset	
Oil Pump	1/2"	Offset	

# DURANT

# The selected Snap-on Kit for all late model Durant cars contains:

No. 160	1/2" Socket \$ .30	)
No. 180	%16" Socket	)
No. 200	5/8" Socket	)
No. 220	<sup>11</sup> / <sub>16</sub> " Socket	)
No. 240	3/4" Socket	)
No. 300 J	<sup>2</sup> <sup>1</sup> / <sub>16</sub> Socket	)
No. 3 Lo	ng Tee 1.00	
No. 5 Br	ace	)
S-5 Slidir	ng Tee	)
S-12 Lon	g Ex. Bar	)
Pric	ce, Snap-on Durant Set . \$5.80 therette Kit Bag 50	
Set	complete—in carton\$6.30	

Some of the important servicing jobs on the Durant cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Spring Shackle Nuts	15/16"	Sldg. T.	
Spring Clips	5/8"	Sldg. T.	10" Ex. Bar
Fender Brace	9/18"	Sldg. T.	
Fender to Brace	9/16"	Sldg. T.	
Lamp Brackets	1/2"	Sldg. T.	
Running Board to Brace	1/2"	Sldg. T.	10" Ex. Bar
Transmission Cover	9/16"	Long T.	
Clutch Bolts	9/16	Sldg. T.	7
Demountable Rims	3/4"	Brace	e.
Spare Tire Carrier	15/16	Sldg. T.	
Differential Housing	1/2"	Sldg. T.	
Cylinder Head	3/4"	Brace	10" Ex. Bar
Manifold Cap Screws	9/16"	Long T.	
Water Pump	916	Sldg. T.	
Steering Gear Housing.	1/2"	Long T.	
Radiator to Frame	11/16"	Long T.	
Engine Base Cap	1:/ //	Sldg. T.	
Connecting Rod	9/16"	Long T.	
Main Bearings	3/4"	Long T.	
Tire Rod Bolt Nuts	3/4"	Sldg. T.	

NOTE: The Oil Pan and Front End Cover takes a screw driver and a Snap-on No. 2 Bit on a Snap-on Brace makes an Ideal Tool.

#### **ESSEX**

#### The selected Snap-on Kit for all late model Essex cars contains:

No. 160	1/2" Socket
No. 180	9/16" Socket
No. 220	1)/16" Socket
No. 240	3/4" Socket
No. 280	7/8" Socket
No. 1	Offset
No. 3	Long Tee 1.00
No. 5	Rim Brace 1.50
No. 8	Universal Joint
No. S-5	Sliding Tee
No. S-12	Long Extension Bar
	e, Snap-on Essex Set \$7 . 70 herette Kit Bag 50
Set	complete—in carton\$8.20

Some of the important servicing jobs on the Essex cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Cylinder Head	3/4"	Brace	5" Ex. Bar
Differential Housing	9/16"	Offset	
Exhaust Manifold	1/2"	Long T.	
Connecting Rod	9/16"	Sldg. T.	
Spring Bolts	3/11	Sldg. T.	
Oil Pan	1/2"	Long T.	
Demountable Rim	11/16"	Brace	
Cover Timing Gear	1/2"	Long T.	Univ. Jt.
Cover Valve Guides	1///	Long T.	
Crank Case to Base	1/11	Brace	10" Ex. Bar
Main Bearing	3/4"	Sldg. T.	
Motor Support Front	3/4"	Sldg. T.	10" Ex. Bar
Rocker Arm Cover	1/2"	Long T.	
Transmission	9/16"	Long T.	
Fan Adjustment	3/1"	Sldg. T.	
Spring Clips	3/4"	Sldg. T.	
Spring Front End	1/8"	Sldg. T.	
Differential	9/16"	Long T.	

Factories and machine shops will buy the complete Snap-on Mechanic's Tool Cabinet No. B-12

#### FALLS MOTOR

The selected Snap-on Kit for all late model Falls Motor equipped cars contains:

No. 160	1/2"	Sock	et.												. \$	.30
No. 180		Sock	et.			•	٠									.30
No. 200		Sock	et.													.30
No. 5	Brace.															1.50
No. 3	Long T	'ee														1.00
No. 1																. 80
No. S-5	Sliding	Tee	. <b>.</b> .													. 60
No. S-1	2 Long	Ex.	Ba	r.	• •		•			•	•					. 60
Price	, Snap-	on F	all	8	N	Æ.	n	t	01		S	•	t	\$!	5	40
Leath	erette	Kit	Ba	g						•				•		50
Set co	mplet	e—ir	ı c	ar	t	0	n						•	\$5	<b>;</b> .	90

NOTE—On the Courier, Elgin, Grant, Haladay, Premo, Velie, and Washington cars using this type motor, add for frame, Spring Shackles, Demountable rims and etc., add following sizes:

No. 220	1/16" Socket\$ .3	30
No. 240	3/4" Socket	
No. 280	7/8" Socket	10
	\$1.1	0

Some of the important servicing jobs on the Falls Motor equipped cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Crank Case	1/2"	Brace	10" Ex. Bar
Timing Gear Cover	1/2"	Offset	
Starting Motor	9/16	Offset	
Exhaust Nut-Bottom.	3/8"	Long T.	
Exhaust Nut—Top	9/16	Long T.	
Cylinder Head	5/8"	Brace	10" Ex. Bar
Water Outlet	9/16" 9/16"	Sldg. T.	
Water Inlet	916"	Sldg. T.	
Front Motor Support—			
Bolt	9/16"	Offset	
Rear Motor—Bolt	9/16" 5/8"	Sldg. T.	
Connecting Rod	9/16"	Brace	
Main Bearings	5/8"	Brace	

#### FARMER'S JUNIOR SET

The selected Snap-on Kit for Farmer's Set contains the following:

No. 140 7/16"	Socket\$	.30
	Socket	.30
No. 240 3/4"	Socket	.40
No. 250 25/32"	Socket	.40
No. 260 13/16"	Socket	.40
No. 280 1/8"	Socket	.40
No. 412 3/8"	Socket (Square)	.30
No. 414 7/16"	Socket (Square)	.30
No. 416 1/2"	Socket (Square)	.35
No. 418 %16"	Socket (Square)	.35
No. 420 5/8"	Socket (Square)	.40
	Socket (Square)	. 40
	Socket (Square)	. 50
	Socket (Square)	. 50
No. 432 1"	Socket (Square)	. 60
No. 8	Universal Joint	1.50
No. 5	Brace	1.50
No. S-5	Sliding tee	. 60
No. S-6	Short Extension Bar	. 55
No. S-12	Long Extension Bar	.60

Set complete—in carton...\$12.35

The above Snap-on handles, sockets, and attachments have been selected as a compact set of socket wrenches meeting the needs of the farmer in the principal service requirements on practically all makes of cars, trucks, tractors, gas engines, and also suitable for quick and easy repairs to farm machinery, threshers, pumps and windmills.

Our Motor Tool Tray is specially designed for working convenience.

### Farmer's Senior Set

Useful Farm Set for Busy Farmers to Save Time on the hard-to-get-at Places on his Car, Truck, Tractor and Farm Machinery such as Binders, Harrows, Planters, Mowers, etc., consisting of the following units:

No. 8 Universal Joint	\$1.50
No. 6 Ratchet	
No. 5 Brace	
No. S-5 Sliding Tee	60
No. S-6 Short Extension Bar	
No. S-12 Long Extension Bar.	60
No. 140 7/16" Socket	
No. 160 1/2" Socket	
No. 180 % Socket	
No. 190 19/32" Socket	
No. 200 5/8" Socket	
No. 220 11/16" Socket	
No. 240 3/4" Socket	40
No. 250 25/32" Socket	40
No. 260 13/16" Socket	
No. 280 7/8" Socket	40
No. 412 3/8" Square Socket.	
No. 414 1/16" Square Socket.	
No. 416 1/2" Square Socket.	
No. 418 % Square Socket.	
No. 420 5/8" Square Socket.	
No. 422 11/16" Square Socket.	
No. 424 3/4" Square Socket.	
No. 428 %" Square Socket.	
No. 432 1" Square Socket.	
No. 300 15/16" Heavy Duty S	
No. 310 31/32" Heavy Duty S	
No. 320 1" Heavy Duty S	
No. 340 1-1/16" Heavy Duty S	
No. 360 1-1/8" Heavy Duty S	
No. 400 1-1/4" Heavy Duty S	
No. 440 1-3/8" Heavy Duty S	
No. 460 1-7/16 "Heavy Duty S	
H. D-5 Sliding Tee	1 . 50
H. D-6 Short Extension Bar	
H. D-12 Long Extension Bar.	
	•
Price, Farmer's Senior Sn	ap-on

Price, Farmer's Senior Snap-on Set.....\$23.65

Snap-on Wrenches give your customers "The Greatest Service from the Fewest Tools."

# **FORD**

# The selected Snap-on Kit for all late model Ford cars contains:

No. 160	½" Socket
No. 180	916" Socket
No. 200	5/8" Socket
No. 220	11/16" Socket
No. 240	3/4" Socket
No. 300 1/2	<sup>15</sup> / <sub>16</sub> " Socket
No. 5	Brace
No. S-5	Sliding Tee
No. S. 12	
Price.	Snap-on Ford Set . \$4.80
	erette Kit Bag50
Net C	omplete—in carton\$5.30

Some of the important servicing jobs on the Ford cars to which the above Snap-on tools are perfectly adapted:

	Skt.	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	2011000 929 001
	Size	Handle	Attachments
Ball Socket	9/16"	Sldg. T.	
Front Radius Rod	1516"	Sldg. T.	10" Ex.Bar
Front Spring Hangers	11/16"	Brace	10" Ex. Bar
Front Spring Perch	15/16"	Sldg. T.	
Spindle Bolt	11/16"	Sldg. T.	
Spindle Bolt Nut	3,4"	Sldg. T.	
Brake Shoe Supports	34"	Brace	10" Ex. Bar
Diff. Housing Nut	1/2"	Sldg. T.	10" Ex. Bar
Rear Axle Nut	1516"	Brace	10" Ex. Bar
Radius Rods	3/4"	Sldg. T.	
Conn. Rod Cap Bolt Nut	5/8"	Brace	10" Ex. Bar
Crank Case	9/16	Brace	10" Ex. Bar
Crank Case Lower Cover	1/2"	Brace	10" Ex. Bar
Crank Shaft Bearing			
Nuts (Fr. and Center)	34"	Sldg. T.	
Crank Shaft Bearing			
Bolt (Rear)	34"	Brace	10" Ex. Bar
Cylinder Head Cover	5 8"	Brace	10" Ex. Bar
Cylinder Valve Cover	916"	Sldg. T.	10" Ex. Bar
Fan Adjustment	916"	Brace	10"Ex. Bar
Fan Bracket	3/4"	Sldg. T.	
Inlet and Exhaust Clamp	916"	Sldg. T.	10" Ex, Bar
Motor Support Front	3/8"	Brace	10" Ex. Bar
Radiator Support	16	Sldg. T.	10" Ex. Bar
Water Inlet Connection	9/0"	Sldg. T.	100000
Water Outlet Connection	5%"	Sldg. T.	
Steering Post Bracket	916"	Sldg. T.	
Universal Ball Cap		Sldg. T.	
Body Bracket Bolts	5/8"	Sldg. T.	
Demountable Rims Nuts	58"	Brace	V)
	2000		

# FORDSON TRACTOR

The selected Snap-on Kit for all late model Fordson Tractors contains:

No.	140	7'16" Socket\$	.30
No.	200	5 x" Socket	.30
No.	220	11,16" Socket	.30
No.	240	34" Socket	.40
No.	280	78" Socket	.40
No.	1	Offset	.80
No.	3		1.00
No.	8	Universal Joint	1.50
No.	S-5	Sliding Tee	.60
No.	S-12	Long Extension Bar	. 60
Pri	ice, l	Fordson Tractor Set \$6	.20
		rette Kit Bag	
Set	t con	nplete—in carton\$6	.70

Some of the important servicing jobs on the Fordson Tractor to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Cylinder Head Cap Screw and Cover	3.4 " " " " " " " " " " " " " " " " " " "	Offset Offset Sldg. T. Long T. Sldg. T. Sldg. T. Sldg. T. Sldg. T. Long T. Long T. Long T. Long T. Long T.	Univ. Jt. 10" Ex. Bar
Radiator Bolts and Nuts Differential Housing	7/6"	Long T. Offset	

For use in the hardest of the hard-toget-at places where overhead clearance is limited -sell the Snap-on Flexible Socket.

# **FRANKLIN**

The selected Snap-on Kit for all late model Franklin cars contains:

No. 160 12" Socket
No. 180 916" Socket
No. 200 55" Socket
No. 240 34" Socket
No. 250 25/32" Socket
No. 416 1/2" Sq. Socket
No. 18 916" Universal Socket 1.75
No. 16 1/2" Universal Socket 1.75
No. 1 Offset
No. 3 Long Tee 1.00
No. 5 Brace 1.50
No. S-5 Sliding Tee
No. S-6 Short Ext. Bar
Price, Snap-on Franklin Set \$10.00
Leatherette Kit Bag
Set complete—in carton\$10.50

Some of the important servicing jobs on the Franklin cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Spring Clips	34"	Sldg. T.	
Steering Rod Conn. Ball	3,"	Sldg. T.	
Gear Case Cover	12"	Long T.	
Spring Clips	34"	Sldg. T.	
Main Bearing Center		Brace	5" Ex. Bar
Main Bearing Front	3,"	Brace	5" Ex. Bar
Clutch Housing	9 77	Offset	Andrew LACOLOGICAL SAMPLES
Connecting Rod	58"	Brace	
Cover Timing Gear	1/2"u. s.	Long T.	8
Cover for Valves	916"	Long T.	
Crank Case to Base	15"	Brace	5" Ex. Bar
Exh. Manifold to Block.	1/2"	Long T.	
Oil Filler	1/2"	Sldg. T.	
Transmission Cover	916"	Offset	
Transmission to Sill	2532"	Long T.	
Motor Block to Base	9/6"U.S.		
Steering Gear to Sill	9/6"	Long T.	
Fender to Frame	1/2"	Sldg. T.	
Muffler Support	916"	Sldg. T.	
Running Board	1/2"	Sldg. T.	
Running Board	$\frac{1}{2}^{\prime\prime}$ sq.	Sldg. T.	
Demountable Rims	34"	Brace	
Wheel nut Disk Wheel	3,"	Brace	

#### **GARDNER**

# The selected Snap-on Kit for all late model Gardner cars contains:

No. 160	!½" Socket\$	.30
No. 180	%6" Socket	.30
No. 200	58" Socket	.30
No. 240	34" Socket	.40
No. 280	7/8" Socket	.40
No. 1 Off	set	.80
	g Tee	1.00
No. 5 Bra	ce	1.50
	liding Tee	.60
No. S-6 S	hort Ext. Bar	. 55
	Long Ext. Bar	. 60
	Snap-on Gardner Set \$6 . rette Kit Bag	

Some of the important servicing jobs on the Gardner cars to which the above Snap-on tools are perfectly adapted:

Set complete—in carton.....\$7.25

	S.ct. Size	Handle	Attachments
Cylinder Head	3/4"	Brace	5" Ex. Bar
Exhaust	916"	Offset	
Carburetor Intake	9/16"	Offset	
Generator	9/6"	Offset	
Motor Bolts to Frame	9/6"	Sldg. T.	
Motor Block to Base	5/8"	Long T.	
Water Connection	9/16	Offset	
Timing Gear Cover	1/2"	Sldg. T.	
Crank Case	1///	Brace	10" Ex. Bar
Starter to Frame	9/01/	Sldg. T.	A STATE OF THE STA
Connecting Rod	9/16"	Sldg. T.	
Main Bearings	3/, "	Brace	
Transmission	9/16	Offset	
Shackle Bolts	7/8"	Sldg. T.	
Differential Housing	9/16"	Offset	
Pinion Housing	3/4"	Offset	
Demountable Rims	3/4"	Brace	
Radiator to Frame	3/4"	Long T.	

Sugget Snap-On Screw Driver Blades to your customers fit all handles and units.

### GRAY

# The selected Snap-on Kit for all late model Gray cars contains:

No. 140	716" Socket\$ .30
No. 160	1/2" Socket
No. 180	916" Socket
No. 200	** Socket
No. 220	11/16" Socket
No. 240	3." Socket 40
No. 280	78" Socket
No. 300 12	<sup>15</sup> 16" Socket
No. 32012	1" Socket
No. 418	9 <sub>16</sub> " Sq. Socket
No. S-5	Sliding Tee
No. S-6	Short. Ex. Bar
No. 3	Long Tee 1.00
Price	, Snap-on Gray Set \$5.80
Leath	nerette Kit Bag 50
	omplete—in carton\$6.30

Some of the important servicing jobs on the Gray cars to which the above Snap-on tools are perfectly adapted:

	S:t. Size	Handle	Attachments
Fr. Spring U Bolts	\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	Sldg. T.	5" Ex. Bar
Fr. Spring to Axle	7/8	Sldg. T.	
Steering Arm	15/10	Long T.	
Tie Rod	1"	Sldg. T.	
Tie Rod Turn Knuckle	9/16" 7/8" 5.8"	Sldg. T.	5" Ex. Bar
Tie Rod Clevis Nut	7/8"	Sldg. T.	
Motor Support, front	5 211	Sldg. T.	
Motor Support, rear	1''	Sldg. T.	
Radiator Support	11/16	Sldg. T.	5" Ex. Bar
Motor Block to Cr. Case		Long T.	1257 - 1511-033 /
Cylinder Head	5 8"	Long T.	
Starting Motor Case	716	Sldg. T.	5" Ex. Bar
Generator Support	9/16	Sldg. T.	
Fan Adjustment	916'' 5 6''	Sldg. T.	
Intake Ex. Manifold	216	Long T.	
Trans. Cover	1/2"	Long T.	
Brake to Trans. Cover	9/16"	Sldg. T.	
Rear Axle Hous. Cover	9/16	Sldg. T.	5" Ex. Bar
Oil Drain Plug		Long T.	, AD:
Main Bearings	5 511	Sldg. T.	
Connecting Rods	916"	Sldg. T.	5" Ex. Bar
Valve Cover Plate	5 8"	Sldg. T.	5" Ex. Bar
Demountable Rims	9/16" 5 8" 5 8"	Long T.	

#### **HAYNES**

The selected Snap-on Kit for all late model Haynes cars contains:

No. 160	12" Socket\$ .	30
No. 180		30
No. 200	5%" Socket	30
No. 220	11/16" Socket	30
No. 240		40
No. 250		40
No. 280		40
No. $300\frac{1}{2}$	<sup>15</sup> / <sub>16</sub> " Socket	50
No. 412	3 (" Sq. Socket	30
No. 414	'16" Sq. Socket	30
No. 418	916" Sq. Socket	35
No. 3	Long Tee 1.	00
No. S-5	Sliding Tee	60
No. S-12	Long Ext. Bar	60
	, Snap-on Haynes Set . \$6.05	
Leath	herette Kit Bag50	
Set c	omplete—in carton\$6.55	

Some of the important servicing jobs on the Haynes cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Emergency Brake Adj	11/16"	Sldg. T.	
Crank Case Lower Half	9/16"	Long T.	
Cyl. Block to Cr. Case.	2532"	Sldg. T.	
Connecting Rods	5/8"	Sldg. T.	10" Ex. Bar
Cr. Case Dr. Plug	38'' sq.	Long T.	
Diff. Drain Plug	916" sq.	Sldg. T.	10" Ex. Bar
Diff. Cover Front		Sldg. T.	
Diff. Cover Rear	1/2"	Long T.	
Demountable Rims	11/16"	Sldg. T.	
Ex. Man. to Cyl Head	3/11	Sldg. T.	
Fan Adjustment Nut	9/16"	Sldg. T.	
Lamp Brack. to Fender	11/16"	Sldg. T.	
Lamp to Bracket	15/16"	Sldg. T.	
Motor Support, rear	15/16"	Sldg. T.	
Motor Support, front	The Country of the Co	Sldg. T.	10" Ex. Bar
Radiator Support	15/16"	Sldg. T.	10" Ex. Bar
Spindle Arm Pivot Ball	15/16"	Sldg. T.	
Spring Clip	7/8"	Sldg. T.	
Timing Gear Case	1/2"	Sldg. T.	10" Ex. Bar
Trans. Drain Plug	7/16"sq.	Sldg. T.	
Trans. to Clutch Hous	9/16	Long T.	
Water Jacket to Cyl. Hd.	5/8"	Sldg. T.	
	1.1 20 Miles	11.34	

#### HUDSON

The selected Snap-on Kit for all late model Hudson cars contains:

No. 140	7/16" Socket
No. 180	9/16" Socket
No. 200	5%" Socket
No. 240	34" Socket
No. 260	<sup>13</sup> / <sub>16</sub> " Socket
No. 280	<sup>7</sup> / <sub>8</sub> " Sockεt
No. 1	Offset
No. 3	Long Tee 1.00
No. 5	Rim Brace 1.50
No. S-5	Sliding Tee
No. S-12	Long Extension Bar
	e, Snap-on Hudson Set \$6.60 herette Kit Bag

Some of the important servicing jobs on the Hudson cars to which the above Snap-on tools are perfectly adapted:

Set complete—in carton ... \$7.10

	Skt. Size	Handle	Attachments
Cylinder Head	7/8"	Sldg. T.	
Differential Housing	9/6"	Offset	
Exhaust Manifold	9/16"	Long T.	
Motor Support	13/6"	Sldg. T.	
Spring Clip Nuts	7/8"	Sldg. T.	
Connecting Rod	5/8"	Sldg. T.	10" Ex. Bar
Main Bearings	3/4"	Sldg. T.	10" Ex. Bar
Engine Base	3/4" 7/8"	Sldg. T.	
Water Pump	7/16"	Offset	
Distributor Support	9/16"	Offset	
Oil Pan	9/16	Brace	10" Ex. Bar
Transmission Cover	34"	Brace	10"Ex. Bar
Motor to Frame	13/6"	Sldg. T	
Demountable Rims	5/8"	Brace	
Timing Gear Cover	9/16"	Long T.	

Farmers will find Motor Tool tray a handy convenience around the farm.

#### HUPMOBILE

The selected Snap-on Kit for all late model Hupmobile cars contains:

No. 160	1/3" Socket\$ .30
No. 180	?ie" Socket
No. 200	%" Socket
No. 240	34" Socket
No. 280	34" Socket
No. 1	Offset
No. 3	Long Tcc 1.00
No. 5	Rim Brace 1.50
No. S-5	Sliding Tcc
No. S-12	Long Extension Bor60
Price.	Snap-on Hupmobile Set\$6.20
Leathe	rette Kit Bag
Set con	mplete—in carton\$6.70

Some of the important servicing jobs on the Hupmobile cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Spring Clip Front ta. I Rear  Spring Shackles  Fender to Frame  Demountable Rims  Head Lamp Bracket  Oil Pan  Differential Housing  Cylinder Head  Starting Motor Support  Timing Gear Cover  Carburctor to Intake  Valve Cover Plates  Steering Gear Case Cov.  Intake Manifold  Distributor Support	18 18 18 18 18 18 18 18 18 18 18 18 18 1	Sldg. T. Sldg. T. Long T. Brace Long T. Brace Long T. Offset Offset Long T. Long T. Long T. Long T. Long T. Long T.	10"Ex. Bar 10"Ex. Bar
Fly Wheel Case Cover Connecting Rod Main Bearing	5/" 5/"	Offset Sldg. T. Sldg. T.	10"Ex. Bar 10"Ex. Bar

Farmers need every Snap-on unit for use on their tractors, farm machinery and implements.

# **JEWETT**

The selected Snap-on Kit for all late model Jewett cars contains:

No. 160	1/2" Socket\$	.30
No. 180	lie" Sorket	.30
No. 200	3." So:k:t	.30
No. 220	"lie" Socket	.30
No. 240	34" Socket	.40
No. 250	2312" So.ket	.40
No. 1	Offset	.80
No. 2	Short Tec	.95
No. 5	Rim Brace 1	.50
No. S-5	Sliding Tec	.60
No. S-6	Short Extension Bar	.55
No. S-12	Long Extension Bar	.60
Price	, Snap-on Jewett Set \$7.00	
	herette Kit Bag50	
Set o	complete—in carton\$7.50	

Some of the important servicing jobs on the Jewett cars to which the above Snap-on tools are perfectly adapted:

	Skt.	l	
	Sire	Handle	Attachments
Cylinder Head	35"	Brace	5" Ex. Bar
Exhaust Manifold	13/10"	Short T.	5
Timing Gear Case Cov.	%ie"	Shert T.	
Front Motor Support			
Bracket	34"	Sldg. T.	
Fan Bracket	34"	Offset	
Oil Pan	15"	Brace	10" Ex. Bar
Water Pump Housing	216"	Sldg. T.	
Valve Lister Bracket	?16"	Offset	
Generator Support	316"	Sldg. T.	
Starting Motor Support	23/32"	Sldg. T.	
Motor Sup'rt to Frame		Sldr. T.	
Connecting Rod	3/11	Sldr. T.	10" Ex. Bar
Main Bearing Cap	34"	Sidr. T.	10"Ex. Bar
Steering Gear Bracket	?16"	Short T.	
Head Lamp Bracket	210"	Offset	
Radiator Support	34"	Short T.	o. Ei
Spring Shackles	11/16"	Sldg. T.	
Transmission Cover	1/3"	Offset	
Spring Clip-Bolt	14"	Sldg. T.	
Demountable Rims	3 ("	Brace	
Universal Joint	316"	Offset	

### **JORDAN**

The selected Snap-on Kit for all late model
Jordan cars contains:

No. 20	58" Universal Socket \$1.75
No. 160	<sup>1</sup> / <sub>2</sub> " Socket
No. 180	916" Socket
No. 200	38" Socket
No. 220	11/16" Socket
No. 240	3/4" Socket
No. 280	7/8" Socket
No. $300\frac{1}{2}$	<sup>15</sup> / <sub>16</sub> " Socket
No. 418	%6" Sq. Socket35
No. 1 Offse	t
	Tee 1.00
No. 5 Brace	2
No. S-5 Slice	ding Tee
No. S-12 Lo	ong Ext. Bar
Price, Sr	ap-on Jordan Set\$9.10
	tte Kit Bag
Set com	plete—in carton\$9.60

Some of the important servicing jobs on the Jordan cars to which the above Snap-on tools are perfectly adapted:

Skt. Size	Handle	Attachments
Spring Shackles 15/16'		
Spring Clips 3/4'	' Offset	
Lamp Brackets %16'	' Offset	
Brake Pedal Nuts 3/4'	'   Sldg. T.	
Clutch Pedal 3/1	Side T	
Steering Gear Case 1/2"	Long T.	
Disk Wheel Nut 1/8"	' Brace	K
Fender Braces 9/16	' Offset	
Running Board Support. 9/16"so	T	1.1
Gas Tank Brace %16'	Offset	0
Differential Housing %6'	Long T.	
Exhaust Manifold 9/16	Long T.	6):
Cylinder Head Nuts 5/8"		10" Ex. Bar
Motor Block to Base 5/8"u.		
Front End Cover 1/2'	Long T.	
Motor Sunt to Frame 15/6'	Side T.	
Starter Support 5/8'	Offset	
Starter Support	Brace	10" Ex. Bar
Connecting Rod 11/16'	Long T.	
Connecting Rod 11/16' Main Bearings 3/4'	Offset	

#### KISSEL

#### The selected Snap-on Kit for all late model Kissel cars contains:

No. 140	716" Socket\$	.30
No. 160	1/2" Socket	.30
No. 180	916" Socket	.30
No. 190	<sup>19</sup> / <sub>32</sub> Socket	.30
No. 200	58" Socket	.30
No. 220	11/16" Socket	.30
No. 240	3/4" Socket	.40
No. 260	<sup>13</sup> 16'' Socket	.40
No. 300 1/2	19/16" Socket	.50
No. 3201/2	1" Socket	.50
No. 418	916" Sq. Socket	.35
No. 420	5/8" Sq. Socket	.40
No. 422	11/16" Sq. Socket	.40
No. 424	3/4" Sq. Socket	.50
No. 3		.00
No. S-5	Sliding Tee	.60
No. S-12	Long Ext. Bar	.60
Price	, Snap-on Kissel Set \$7.45	

Price, Snap-on Kissel Set \$7.45 Leatherette Kit Bag 50 Set complete—in carton \$7.95

Some of the important servicing jobs on the Kissel cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Fan Adjustment	5/8", 1"	Long T.	
Fan Pulley		Sldg. T.	
Motor Supports	3/4"	Sldg. T.	10" Ex. Bar
Cr. Case to Mot. Block	19/32"	Long T.	
Cylinder Head Bolts.	5/8"	Long T.	
Front Motor Support	13/16"	Sldg. T.	10" Ex. Bar
Timing Gear Case	1/2"	Sldg. T.	
Ex. Man. to Cylinder	9/16"	Sldg. T.	10" Ex. Bar
Oil Drain Plug	3/4"	Long T.	
Trans. Cover	9/16"	Sldg. T.	10" Ex. Bar
Propeller Shaft, front	7/16"	Sldg. T.	6
Brake Rod Adjustment.	11/16"	Sldg. T.	
Rear Axle Housing	9/16"	Sldg. T.	10" Ex. Bar
Rear Spring U Bolts	15/16"	Sldg. T.	10" Ex. Bar
Diff. Fill. & Inspec	$\frac{3}{4}$ " sq.	Sldg. T.	10" Ex. Bar
	%16" sq.	Sldg. T.	10" Ex. Bar
Trans. Filling & Ins. Plug	58" sq.	Sldg. T.	
Trans. Drain Plug		Sldg. T.	
Demountable Rims		Long T.	

# LEXINGTON

#### [Ainstead Motor]

# The selected Snap-on Kit for all late model Lexington cars contains:

No. 140	716"	Sock	et								.\$	5	.30
No. 160	1/2"	Sock	et								. '		.30
No. 180	916"	Sock	et										.30
No. 200	5/8"	Sock	et		,								.30
No. 220	11/16"	Sock	et										.30
No. 240	3/4"	Sock	et										.40
No. 1	Offset.												.80
No. 3	Long 7	Гее										1	.00
No. 5	Brace.	<b>.</b> .										1	. 50
No. S-5	Sliding	Tee											. 60
No. S-1	2 Long	Ext.	Bar				••			•			. 60
	Snap- erette			_									
Set co	mplet	e—in	ca	rt	O	n				\$1	<b>3</b> .	9(	)

Some of the important servicing jobs on the Lexington cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Spring Shackles	3/4" 1/2"	Sldg. T	
Timing Gear Cover	1/2"	Sldg. T.	
Crank Case	1/2"	Brace	10" Ex. Bar
Cylinder Head Nuts	3/4"	Long T.	
Rocker Arm Support	9/16"	Long T.	
Steering Gear Cover	1/3"	Sldg. T.	
Steering Gear Support	9/16"	Sldg. T.	
Exhaust Manifold	916"	Offset	
Exh. Manifold to Pipe.	1/2"	Offset	
Water Pump	716"	Offset	
Generator Support	5/8"	Offset	
Transmission Cover	9/6"	Long T.	
Differential Cover	9/16"	Offset	
Demountable Rims	11/16"	Brace	
Universal Joint	5/8"	Offset	1100 1200
Axle Shaft Flange Nut.	11/16"	Brace	10" Ex. Bar
Connecting Rod	5/8"	Offset	
Main Bearing	7/8" 3/4"	Offset	
Lamp Bracket	3/4"	Offset	
Radiator to Frame	7/8"	Offset	

### LINCOLN

The selected Snap-on Kit for all late model Lincoln cars contains:

No. 140	7/16" Socket\$ .30
No. 160	1/2" Socket
No. 180	%6" Socket
No. 240	3/4" Socket
No. 280	78" Socket
No. 300 ½	<sup>15</sup> / <sub>16</sub> " Socket
No. 20	5/8" Universal Socket 1.75
No. 1 O	ffset
No. 3 L	ong Tee 1.00
No. 5 B	race 1.50
No. S-5 SI	iding Tee
No. S-12 I	Long Ex. Bar
No. S-6 Si	nort Ex. Bar
	nap-on Lincoln Set\$9.00 ette Kit Bag50
Set con	nplete—in carton\$9.50

Some of the important servicing jobs on the Lincoln cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Front End Cover	9/16"	Offset	
Oil Pan	1/2"	Brace	5" Ex. Bar
Connecting Rod	9/16"	Long T.	
Connecting Rod Fork	1/2"	Long T.	
Cylinder Head	3/4"	Long T.	
Run. Board to Brckts	7/18"	Brace	5" Ex. Bar
Spare Tire Holder	5/6"	Sldg. T.	
Body Bolts	5/8"	Long T.	10" Ex. Bar
Tail Lamp Bracket	1/2"	Offset	
Transmission Cover	9/16"	Offset	
Differential	5/8"U S.	Long T.	
Intake Manifold	9/16"	Sldg. T.	
Exhaust Manifold	9/16"	Sldg. T.	
Spring U. Bolts	15/16"	Sldg. T.	
Running Board Support	9/16"	Вгасе	5" Ex. Bar
Head Lamp to Frame	78"	Offset	
Head Lamp to Bracket	3/4"	Offset	
Demountable Rims	58"	Brace	

Snap-Ons are needed wherever a nut or bolt is used.

#### LYCOMING MOTOR

The selected Snap-on Kit for all late model Lycoming Motor equipped cars contains:

No. 160	1/2"	Soci	ket.							. 5	.30
No. 180											.30
No. 200		Soci	ket.	٠.							.30
No. 240	3/4"	Soci	ket.	٠.							.40
No. 1	Offset.										. 80
No. 5	Brace.										1.50
No. S-5											
No. S-1	2 Long	Ext.	Ba	ar.							.60

NOTE—For Bradley, Bush, Champion, Crow Elkart, Dort, Elcar, Gardner, Hamlin, Holmes, Marshall, Norwalk, Piedmont, Seneca, Skelton, and Texan cars to take care of all needs, add:

Adjustment for Borg & Beck clutch No. 1 Offset Handle an 1 No. 200 \(^5\gamma''\) Socket.

Some of the important servicing jobs on the Lycoming Motor equipped cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Cylinder Head	3/4"	Brace	10" Ex. Bar
Exhaust	9/16"	Offset	i
Carburetor Intake	9/16"	Offset	
Generator	9/16"	Offset	
Motor Bolts to Frame.	9/16"	Sldg. T.	ĺ
Motor Block to Base	5/8"	Long T.	
Water Connection	9/16"	Offset	
Timing Gear Cover	1/2"	Sldg. T.	
Crank Case	1/2"	Brace	10" Ex. Bar
Starter to Frame	9/16"	Sldg. T.	
Connecting Rod	9/16"	Brace	
Main Bearings	3/4"	Brace	

# **MARMON**

#### The selected Snap-on Kit for all late model Marmon cars contains:

No. 140	7/16" Socket:\$ .30
No. 160	1/2" Socket
No. 180	%16" Socket
No. 200	5/8" Socket
No. 220	$^{1}/_{16}$ " Socket
No. 240	3/4" Socket
No. 280	<sup>1</sup> / <sub>8</sub> " Socket
No. 300 1/2	<sup>15</sup> / <sub>16</sub> " Socket
No. 1 Of	fset
No. 3 Lo	ong Tee 1.00
No. 5 Br	ace
	ort Ext. Par
No. S-5 Sli	ding Tee
No. S-12	Long Ext. Bar
No. 16 !	"Universal Socket 1.75
	nap-on Marmon Set \$ 9 . 60 ette Kit Bag 50
Set con	plete—in carton\$10.10

Some of the important servicing jobs on the Marmon cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Spring Shackles	15/16"	Sldg. T.	
Steering Gr. Hous. Cover	1/2"	Offset	
Motor Support Fr. & Rr.	3/4"	Sldg. T.	
Differ. Housing, Right,	5/8"	Sldg. T.	
Differ. Housing, Left	9/16"	Sldg. T.	
Fender Nuts-Rear	7/16"	Long T.	N.
Fender to Frame-Rear.		Offset	
Demountable Rims	11/16"	Brace	
Rocker Arm	9/16"	Long T.	l.
Fan Pulley	7/8"	Long T.	
Radiator to Frame	9/16"	Offset	
Exhaust Manifold	1/2" U.S.	Long T.	
Intake Manifold	1/2" U.S.	Long T.	
Crank Case		Brace	10" Ex. Bar
Cylinder Head	5/8"	Brace	10" Ex. Bar
Connecting Rod	1/2"	Sldg. T.	5" Ex. Bar
Main Bearing	3/4"	Sldg. T.	5" Ex. Bar
Transmission Cover	1/2"	Long T.	
Connecting Rod  Main Bearing  Transmission Cover  Transmission Nuts	9/16"	Long T.	

#### MAXWELL

The selected Snap-on Kit for all late model
Maxwell cars contains:

No. 160	<b>%</b> "	Socket\$	.30
No 180	216"	Socket	.30
No. 190	1952"		.30
No 200	36"	Socket	.30
		Socket	
No 3001/2	1550"	Socket	.50
No. 31016	3352"	Socket	.50
No. 3		Long tec 1	
No. 5		Brace	0.110.120
No S-5		Sliding Tee	
No. S-12		Long Extension Bar	

Set complete—in carton....\$6.80

Some of the important servicing jobs on the Maxwell cars to which the above Snup-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Clutch Housing	316"	Sldg. T.	
Connecting Rod	36"	Side. T.	10" Ex. Bar
Cylinder Head	12"	Long T.	
Main Bearings	34"	Side. T.	10" Ex. Bar
Differential Housing	%"	Sidg. T.	ATTACTOR TO PARTICIPATE AND CASE
Fender to Frame	'W"	Sldg. T.	
Oil Pan	15"	Brace	10" Ex. Bar
Spring Clipe	\$6"	Sldg. T.	100
Transmission Cover	210"	Sldg. T.	
Water Cylinder Inlet	35"	Long T.	•
Intake Manifold	1232"	Long T.	İ
Exhaust Manifold	910	Long T.	1
Timing Gear	11	Sidg. T.	1
Water Pump Bracket Nut	210"	Long T.	1
Oil Pump	35"	Sldg. T.	
Motor Support	3350"	Sldg. T.	
Rediator Support		Sldg. T.	
Steering Gear Cover	35"	Long T.	
Generator Support	134."	Sldg. T.	
Starting Motor Support.	8211	Sidg. T.	
Demountable Rima	3/11	Brace	
Head Lamp Bracket	****	Sidg. T.	ł
Spring sup. Rear Axle	\$ 2"	Side. T.	]

# MOON

# The selected Snap-on Kit for all late model Moon cars contains:

No 140	%e" Socket \$ .3	30
No. 160		30
No. 180		30
No. 200		30
No. 220		30
No. 240		40
No. 280		40
No. 3001/2		50
No. 418		35
No. 1		80
No. 3	Long Tee 1.0	
No. S-5		50
No. S-12		50
	0	

Price, Snap-on Moon Set..\$6.15 Leatherette Kit Bag......50 Set complete—in carton...\$6.65

Some of the important servicing jobs on the Moon cars to which the above Snap-on tools are perfectly adapted:

	Skt Size	Handle	Attachments
Main Bearings	34"	Sldg. T.	
Connecting Rods	3/4" 3/8" 3/8"	Sldg. T.	10" Ex. Bar
Main Bearings 6-40	3%"	Sldg. T.	
Connecting Rods	316"	Sldg. T.	10" Ex. Bar
Crank Case	1/3"	Long T.	
Tie Rod Bolts		Sldg. T.	
Lamp to Bracket	1316"	Sldg. T.	
Cylinder Head	3/8"	Long T.	
Water Pump Conn	%", "	Long T.	•
Motor Support, front	216"	Sldg. T.	10" Ex. Bar
Motor Support, rear	3/8"	Sldg. T.	
Fan Adjustments	136"	Sldg. T.	10" Ex. Bar
Fender to Run. Board.	260"	Sldg. T.	
Rear Spr. Rear Shackle	13/16"	Sldg. T.	
Rear Spring U Bolts	1/4"	Sldg. T.	
Clutch Cover Plate	1/3"	Sldg. T.	
Rear Axle Hous. Cover.	316"	Long T.	
Propeller Shaft	360"	Sldg. T.	
Trans. Cover	716"	Sldg. T.	
Emergency Brake Adj	3/8"	Sldg. T.	10" Ex. Bar
Diff. Drain Plug	%ic" sq.	Long T.	
6-40 Demoun'ble Wheels	34"	Long T.	
6.58 Demoun'ble Wheels	1/8"	Long T.	

#### NASH

The selected Snap-on Kit for all late model Nash cars contains:

No. 160	1/2"	Socket			(* · )				. \$	. 30
No. 180	9/16"	Socket						•		.30
No. 200	5/8"	Socket								.30
No. 220	11/16"	Socket								.30
No. 240	3/4"	Socket								.40
No. 300	2 15/16"	Socket								. 50
No. 310	1/2 31/32"	Socket								.50
	Offset									.80
No. 3	Long Tee									1.00
No. 8	Universal	Joint								1.50
No. S-5	Sliding Te	è	<b></b> .	٠.	٠			٠		. 60
Pric	e, Snap-	on Nash	S	et	Ŀ.		\$6	6	50	)
	therette									
Set	complete	—in car	to	n.		. :	\$7	7	00	- )

Some of the important servicing jobs on the Nash cars to which the above Snap-on tools are perfectly adapted:

	Size	Handle	Attachments
Connecting Rods	58"	Sldg. T.	10" Ex. Bar
Main Bearing	3/1"	Sldg. T.	10" Ex. Bar
Timing Gear Case Cover	9/6"	Long T.	Univ. Jt.
Cylinder Head	11/16	Long T.	
Oil Pan	1/2"	Long T.	
Transmission Cover	9/16"	Offset	
Different'l Housing, Rear	/16	Long T.	
Differential Split	34"	Offset	
Spring Bolt Nuts	31 32"	Sldg. T.	
Radiator Support	9/16	Offset	
Generator Support	34"	Sldg. T.	
Spring Clips	15/16"	Sldg. T.	
Demountable Rims	11/16"	Brace	
Fender to Frame	1/2"	Offset	
Head Lamp Bracket	9/16"	Offset	
Exhaust to Block	3/4"	Sldg. T.	
Exhaust to Manifold	9/16"	Long T.	

There are nine sizes of square sockets ranging from 3/8" to 1" opening that fit all Snap-on handles and units.

## OAKLAND

The selected Snap-on Kit for all late model Oakland cars contains:

No. 160	1/2" Socket\$ .30
No. 180	%6" Socket
No. 200	5/8" Socket
No. 220	11/16" Socket
No. 280	7/8" Socket
No. 1	Offset
No. 3	Long Tee 1.00
No. S-5	Sliding Tee
No. S-12	Long Extension Bar
	Snap-on Oakland Set \$4.60 erette Kit Bag 50
Set co	omplete—in carton\$5.10

Some of the important servicing jobs on the Oakland cars to which the above Snap-on tools are perfectly adapted:

	Skt Size	Handle	Attachments
Cover Timing Gear	1/2"	Sldg. T.	
Crank Case	9/16"	Long T.	
Cylinder Head	11/16"	Long T.	
Connecting Rod	%6"	Sldg. T.	10" Ex. Bar
Exhaust Manifold	9/16"	Long T.	
Rear Axle Housing	5/8"	Offset	ĺ
Spring Shackles	7/8"	Offset	
Spring Clips	7/8"	Sldg. T.	1
Generator Support	11/16"	Sldg. T.	
Intake Manifold	9/16"	Long T.	1
Main Bearing	11/16"		10" Ex. Bar
Motor Support	11/16"	Long T.	
Radiator Support	9/16"	Long T.	
Transmission Cover	9/16"	Long T.	
Steering Gear Case	1/2"	Offset	1
Starting Motor Support	5/8"	Offset	1
Demountable Rim	3/4"	Long T.	

Every farm should be Snap-on equipped. Snap-ons fit all farm machinery.

### **OLDSMOBILE**

The selected Snap-on Kit for all late model Oldsmobile cars contains:

No. 160	1/2" Socket\$ .:	30
No. 180	A / 11 -	30
No. 220		30
No. 240		40
No. 250	25/32" Socket	40
No. 280		40
No. 300 1/2		50
No. 1		80
No. 3	Long Tee 1.0	00
No. 5	Rim Brace 1.	50
No. 8	Universal Joint 1.	50
No. S-5		60
No. S-12		<b>50</b>
Price, S	Snap-on Oldsmobile Set .\$8.60	
	rette Kit Bag	
Set con	mplete—in carton\$9.10	

Some of the important servicing jobs on the Oldsmobile cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Cylinder Head	11/16"	Brace	10" Ex. Bar
Transmission Cover	11/16"	Вгасе	10" Ex. Bar
Differential Cover	1/2"	Offset	
Exhaust Manifold	9/16"	Вгасе	10" Ex. Bar
Intake Manifold	9/16"	Brace	10" Ex. Bar
Radiator Support Bolts	25/32"	Long T.	77
Connecting Rod 6 Cyl.	9/16"	Sldg. T.	10" Ex. Bar
Connecting Pod & Cul	1/2"	Sldg. T.	10" Ex. Bar
Connecting Rod 8 Cyl.	9/16	Sldg. T.	10" Ex. Bar
Main Bearings	11/16"	Sldg. T.	
Head Lamps	9/10"	Long T.	
Fender to Frame	9/16"	Sldg. T.	
Spring Clips	1/8	Sldg. T.	THE STATE OF THE S
Oil Pan 8 Cyl	1/2"	Brace	10" Ex. Bar
Oil Pan 6 Cyl	9/16	Brace	10" Ex. Bar
Motor Support Nuts	15/16	Long T.	Univ. Jt.
Demountable Rims	3/4"	Brace	1.17
Water Pump 6 Cyl	1/2"	Offset	
Water Pump 8 Cyl	9/16"	Offset	

### **OVERLAND**

The selected Snap-on Kit for all late model Overland cars contains:

No. 160	1/2" Socket\$ .	30
No. 180		30
No. 200		30
No. 220		30
No. 240		40
No. 260		40
No. 1		80
	Long Tee 1.	00
No. S-5 \$		60
No. S-6 \$		55
No. S-12	Long Extension Bar	60
	e, Snap-on Overland Set\$5.55 therette Kit Bag50	
Set	complete—in carton\$6.05	

Some of the important servicing jobs on the Overland cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Cylinder Head	5/8"	Long T.	5" Ex. Bar
Connecting Rod	5 6"	Sldg. T.	10" Ex. Bar
Body to Frame	716	Offset	
Timing Gear Cover	1/2"	Offset	
Differential Housing	1/2"	Long T.	
Exhaust Manifold	11/16"	Long T.	
Head Lamp Brackets	1/2"	Offset	
Main Bearings	3/4"	Sldg. T.	10" Ex. Bar
Oil Pan	1/2"	Long T.	5" Ex. Bar
Muffler (Model 20)	9/16"	Offset	
Muffler (Old Models)	1/2"	Offset	
Radiator Support	13/16"	Long T.	
Spring Clips	13/16"	Offset	
Transmission Cover	12"	Long T.	
Universal Joint	11/16"	Sldg. T.	
Water Inlet	5/8"	Sldg. T.	
Demountable Rim	3/4"	Long T.	l

Leatherette Kit Bags are a great convenience to the car owner in keeping his Snap-on Kit all together.

# **PACKARD**

The	selected	Snap-on	Kit	for	all	late	model
	Pa	ackard car	rs co	nta	ins:		

No. 140	7/16" Socket\$ .30
No. 160	1/2" Socket
No. 180	%16" Socket
No. 200	5/8" Socket
No. 240	3/4" Socket
No. 1	Offset
No. 3	Long Tee:
No. 5	Brace
No. S-5	Sliding Tee
No. S-1	2 Long Ex. Bar
No. S-6	Short Ex. Bar
Leath	Snap-on Packard Set\$6.65 nerette Kit Bag50 omplete—in carton\$7.15

\$2.6

<b>\&amp;</b>	_		
	Skt. Size	Handle	Attachments
Cylinder Head	5/8"	Long T.	
Timing Gear Cover	9/16	Long T.	
Connecting Rod	9/16"	Offset	
Main Bearings	%"	Sldg. T.	
Oil Pan	7/16"	Brace	5" Ex. Bar
Rocker Arm Plate	1/2"	Long T.	Since Constitution Constitution
Front End Cover	1/2"	Offset	
Water Pump Flange	1/2"	Sldg. T.	
Front Motor Support	3/1"	Sldg. T.	Post Control
Crank Case	1/2"	Brace	5" Ex. Bar
Clutch Housing	9/16"	Offset	
Transmission Cover	1/2"	Long T.	
Differential Cover	9/16"	Long T.	
Lamp Brckts. to Fender	5/8"	Offset	
Fender Front	7/16	Brace	10" Ex. Bar
Rear Fender	1/2"	Brace	10" Ex. Bar
Demountable Rims	3/11	Brace	
Carburetor to Manifold.	1/2"	Brace	
Instrum't Bd. Cap Screw	716"	Offset	
Spring Clips	3/4"	Sldg. T.	
Starting Motor	3/4"	Sldg. T.	
Motor Support to Frame	5/6"	Offset	3
Running Board Brace	1/2"	Sldg. T.	
Water Plates to Motor	7/16"	Long T.	
Fan to Shaft	1/2"	Sldg. T.	5" Ex. Bar
Out Board Bear. Cap	9/16"	Long T.	

# PAIGE 66

The selected Snap-on Kit for all late model Paige 66 cars contains:

No. 160 ½" Socket \$ .30	
No. 180 %6" Socket	
No. 200 5/8" Socket	
No. 220 11/16" Socket	j
No. 240 3/4" Socket	ğ
No. 300 ½ 15/16" Socket	Š
No. 1 Offset	ğ
No. 2 Short Tee	
No. 5 Rim Brace	
No. S-5 Sliding Tee	
No. S-6 Short Extension Bar	
No. S-12 Long Extension Bar	
Price, Snap-on Paige 66 Set \$7.10	
Leatherette Kit Bag50	
Set Complete—in carton \$7.60	

Some of the important servicing jobs on the Paige 66 cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Cylinder Head	5/8"	Brace	5" Ex. Bar
Exhaust Manifold	11/6	Short T.	
Timing Gear Case Cov.	9/16"	Offset	
Water Manifold Connec-			
tion	1/2"	Offset	
Motor Support Front	3/4"	Brace	10" Ex. Bar
Lamp Bracket	9/16"	Sldg. T.	548
Crank Case & Oil Pan	716	Brace	10" Ex. Bar
Fender to Frame	9/16"	Sldg. T.	
Water Pump	9/16"	Offset	
Generator Coupling	1/2"	Offset	
Transmission Cover	1/2"	Short T.	
Differential Housing	9/16"	Short T.	
Demountable Rims	5/8"	Brace	
Universal Joints	1/2"	Offset	
Spring Clips	15/16"	Sldg. T.	4
Spring Shackles	15/16"	Sldg. T.	
Connecting Rod	5/8"	Sldg. T.	10" Ex. Bar
Main Bearings	15/10	Sldg. T.	10" Ex. Bar
Clutch New Type	15/16" 3/4"	Offset	
Rear Axle Flange	3/4"	Sldg. T.	

#### **PEERLESS**

The selected Snap-on Kit for all late model Peerless cars contains:

No. 160	1/2" Socket\$ .30	
No. 180	9/16" Socket	
No. 200	5/8" Socket	
No. 220	<sup>1</sup> / <sub>16</sub> " Socket	
No. 240	3/4" Socket	
No. 280	7/8" Socket	
No. 320 ½	1" Socket	
No. 424	34" Sq. Socket	
No. 3	Long Tee 1.00	
No. 5	Brace 1.50	
No. S-5	Sliding Tee	
No. S-12	Long Ext. Bar	
124		

Set complete—in carton...\$7.20

Some of the important servicing jobs on the Peerless cars to which the above Snap on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Water Line to Cyl Cr. Case to Mot. Bolts Ex. Manifold to Cyl Carburetor to Intake Timing Gear Case Fan Support Motor Support, front Motor Support, rear Foot Pedal Brackets	1/2" 1/2" 9/16" 9/16" 1/2" 1/2" 5/8" 3/4" 11/16"	Sldg. T. Long T. Long T. Sldg. T.	10" Ex. Bar 10" Ex. Bar
Trans. Cover  Trans Cl. Insp. Plate  Front Lamp Bracket  Lamp Bracket to Fen  Front Fen. to Frame  Oil Pump Insp. Plate  Hub Flange  Tie Rod  Tie Rod Clevis Nuts	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Long T. Sldg. T. Sldg. T. Sldg. T. Sldg. T. Sldg. T. Long T. Long T. Sldg. T.	
Running Board Sup Trans. to Frame Brake Equaling Rods Diff. Grease Filling Cup	1/2" 1/2" 1/2" 3/4" sq.	Sldg. T.	10" Ex. Bar 10" Ex. Bar

# PIERCE ARROW

The selected Snap-on Kit for all late model Pierce Arrow cars contains:

No. 140	7/16" Socket\$ .30
No. 160	1/2" Socket
No. 180	%16" Socket
No. 200	5/8" Socket
No. 220	<sup>11</sup> / <sub>16</sub> " Socket
No. 240	3/4" Socket
No. 280	7/8" Socket
No. 3201/2	1" Socket
No. 1	Offset
No. 3	Long Tee 1.00
No. 5	Brace 1.50
No. S-5	Sliding Tee
No. S-6	Short Ext. Bar
No. S-12	Long Ext. Bar
Set	, Snap-on Pierce Arrow t\$7.85 herette Kit Bag50
Set o	complete—in carton\$8.35

Some of the important servicing jobs on the Pierce Arrow cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Cylinder Head Bolts	3/4"	Brace	10" Ex. Bar
Thermos. to Cyl. Head	1/2"	Offset	
Water Con. to Radiator	1/2"	Offset	
Exhaust Manifold	5/0"	Long T.	
Carburetor Bolts	1/2"	Sldg. T.	5" Ex. Bar
Steer. Col. Gear Case	1/2" 5/8"	Sldg. T.	
Steer. Col. Pitman Arm	5/8"	Long T.	
Timing Gear Case	1/2"	Sldg. T.	
Fen. Bracket to Frame	1''	Sldg. T.	
Shock Absorb. to Frame	3/4"	Sldg. T.	
Tie Rod Yoke	<b>7/3"</b>	Sldg. T.	1200
Front Shackle	3/4"	Sldg. T.	5" Ex. Bar
Radiator Support	3/4"	Long T.	
Demountable Rims	11/16"	Brace	
Oil Pump to Cr. Case	1/2"	Long T.	
Hub Flange	9/16"	Sldg. T.	
Rear Sp. Shack. Flange.	9/16"	Long T.	
Rear Sp. Cross Member	34"	Long T.	
Brake Adj. Top Nut	34"	Offset	
Ex. Pipe to Muffler	216	Sldg. T.	
Muffler Head	716"	Long T.	
Differential Housing	216"	Sldg. T.	
Universal Joint	%16" %16"	Sldg. T.	

# REO

The selected Snap-on Kit for all late model Reo cars contains:

No. 160	1/3" Socket \$ .30
No. 180	36" Socket
No. 190	1/12" Socket
No. 200	1%2" Socket
No. 220	11/16" Socket
No. 240	34" Socket
No. 260	13/16" Socket
No. 280	3/" Socket
No. 300 3	1%6" Socket
No. 1	Offset
No. 3	Long Tcc 1.00
No. 5	Rim Brace 1.50
No. S-5	Sliding Tec
No. S-12	Long Extension Bar
No. 8	Universal Joint 1.50
Price	, Snap-on Reo Set\$9.20
Leat	herette Kit Bag50
Set	complete—in carton\$9.70

Some of the important servicing jobs on the Reo cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Motor Leg Support	316"	Sldg. T.	
Carburctor Connection	33"	Long T.	
Spring Saddles	7/8"	Sldg. T.	
Demountable Rims	13/6"	Brace	
Crank Case to Block	1/3"	Long T.	
Pump Connection	3/3"	Offset	
Cylinder Head	1/3" 1/4"	Long T.	
Head Lamp Bracket	1356"	Long T.	
Fender to Frame	11/16"	Offset	
Differential Housing	X"	Sldg. T.	
Timing Gear Covers	3/11	Long T.	
Yoke Short Shaft Bolt	3/3"	Offset	
Yoke Short Shaft Nut	3/"	Offset ,	
Base Brace Bolts	7/11	Brace }	Univ. Jt.
Front Bearing Case Nut	1356"	Offset (	10" Ex. Ba
Carburctor to Motor	12,77	Long T.	
Connecting Rod	'Y"		10"Ex. Box
Main Bearing	13/6" 13/6" 3/6"	Sldg. T.	10"Ex. Bar 10"Ex. Bar
Steering Gear Case Cov.	350"	Offset	m-2u
Running Board Nut	3/11	Long T.	

#### RICKENBACKER

The selected Snap-on Kit for all late model Rickenbacker cars contains:

No. 140 %6" Socket\$ .3	30
	30
	30
	30
	30
	10
No. 280 3/8" Socket	0
No. 424 34" Sq. Socket	0
No. 1 Offset	10
No. 3 Long Tec 1.0	0
No. S.5 Sliding Tec.,	0
No. S-12 Long Ext. Bar	
Price, Snap-on Rickenbacker	
Set\$5.80	
Leatherette Kit Bag50	

Some of the Important servicing Jobs on the Rickenbacker cars to which the above Snap-on tools are perfectly adapted:

Set complete—in carton...\$6.30

	Skt. Size	Handle	Attachments
Cylinder Head	38"	Long T.	
Crank Case	12:2"	Long T.	
Exhaust Bolts	%ic"	Offset	Ŷ
Fan Brackets	316"	Sldg. T.	
Fender Brackets	34"	Sldg. T.	17800
Push Rod Guide	316"	Sldg. T.	10"Ex. Bar
Rear Motor Support	¥4",	Sldg. T.	
Water Pump Cyl. Block	38"	Long T.	
Water Pump Head to			
Generator	1/2"	Sldg. T.	
Gen. Chain Adj	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Sidg. T.	10"Ex. Bar
Front Spring Clips	34"	Sldg. T.	
Fr. Spring Shackle Bolts	38"	Sldg. T.	
Trans. to Cl. Housing	34"	Offset	
Timing Gear Case	216"	Long T.	
Rear Spring Clips	3/8"	Sldg. T.	
Differential Housing	316"	Long T.	
Demountable Rims	34"	Long T.	24
Connecting Rods	36"	Sldg. T.	10" Ex. Bar
Main Bearings	X"	Sldg. T.	
Man. Stove Cap Screw	216"	Sldg. T.	10"Ex. Bor
Differential Drain Plug	34" sq.	Sldg. T.	10"Ex. Bar

### STAR CAR

The selected Snap-on Kit for all late model
Star cars contains:

No. 160	1/2" Socket\$	.30
No. 180	%16" Socket	.30
No. 200	5/8" Socket	.30
No. 240	3/4" Socket	.40
No. 280	3/8" Socket	.40
No. 418	%6" Sq. Sccket	.35
No. 420	5/8" Sq. Socket	.40
No. 10	ffset	.80
No. 3 L	ong Tee 1	1.00
No. 5 B	frace 1	.50
	liding Tee	.60
No. S-12	Long Ext. Bar	, 60
Price. S	Snap-on Star Set\$6.9	5
	rette Kit Bag	
Set con	nplete—in carton\$7.4	5

Some of the important servicing jobs on the Star cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Spring Shackles	3/4"	Sldg. T.	<del>) - 10 - 1</del>
Spring Clips	3/4"	Offset	
Lamp Bracket	9/16"	Offset	
Fender Bracket	9/16"	Offset	
Connecting Rod to		74-30-2-10-301-2-3	
Steering Col	7/8"	Sldg. T.	
Running Brd. to Brace	%"sq.	Long T.	
Spare Tire Holder		Sldg. T.	
Differ. Housing Cover	%6"	Long T.	
Transmission Cover	1/2"	Offset	
Demountable Rims	3/4"	Brace	
Clutch Bolts	%16"	Offset	
Cyl. Head	5/8/1	Brace	10" Ex. Bar
Water Pump	1/2"	Long T.	300000000000000000000000000000000000000
Starter Support	9/16"	Long T.	
Generator Adj. Bolts	5/8"	Offset	
Manifold Nuts	9/16"	Long T.	
Radiator to Frame Connecting Rod	5/8" sq.	Long T.	
Connecting Rod	9/16"	Long T.	
Main Bearings	3/4"	Offset	

NOTE: The Oil Pan and Front End Cover take a screw driver and a Snap-on No. 2 Bit and Brace Handle is an ideal tool.

# STEARNS No. 6

The selected Snap-on Kit for all late model Stearns No. 6 cars contains:

No. 140	7/16" Socket\$ .30
No. 160	1/2" Socket
No. 180	%6" Socket
No. 200	5/8" Socket
No. 220	1½6" Socket
No. 240	3/4" Socket
No. 250	<sup>25</sup> / <sub>32</sub> " Socket
No. 300 1/2	15/16" Socket
No. 412	3/8" Sq. Socket
No. 418	%6" Sq. Socket
No. 3	Long Tee 1.00
No. S-5	Sliding Tee
No. S-12	Long Ext. Bar
	nap-on Stearns No. 6 Set . \$5.65
Leather	rette Kit Bag
C.L	
Set con	nplete—in carton\$6.15

Some of the important servicing jobs on the Stearns No. 6 cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Brake Adjusting Nut	15/16"	Sldg. T.	
Demountable Rims	11/16"	Long T.	
Brake Drum Flange	25/32"	Long T.	
Front Spring Shackle	15/16"	Sldg. T.	
Cr. Case, lower half	1/2"	Long T.	
Cr. Case Drain Plug	3/8" sq.	Sldg. T.	
Transmission Housing	%16"	Sldg. T.	
	%6" FQ.	Sldg. T.	
Transmission Cover	9/16"	Sldg. T.	
Rear Sp. Fr. Support	15/16"	Sldg. T.	
Diff. Case Insp. Plug		Sldg. T.	r
Front Motor Support	5/8"	Sldg. T.	
Exhaust Manifold	9/16"	Long T.	
Water Pump to Gen	716"	Sldg. T.	
Fan Adjustment	9/16"	Long T.	
Steering Post Adj	11/10"	Sldg. T.	
Steer. Worm. In. Plate.	9/16"	~ ~	
Rear Fender Bolts	1/311	Sldg. T. Sldg. T.	
Bottom Fly Wheel Case	,-	3-10	
to Motor Base	5/3"	Sldg, T.	10" Ex. Bar
Connecting Rods	5/8" 5/8" 3/"	Sldg. T.	10" Ex. Ba
Main Bearings	3/11	Sldg. T.	10" Ex. Bar 10" Ex. Bar 10" Ex. Bar

# STEPHENS

The selected Snap-on Kit for all late model Stephens cars contains:

No. 160	1/2" Sccket\$	.30
No. 180	9/16" Socket	.30
No. 190	19/32" Socket	.30
No. 200	5/8" Socket	.30
No. 220	11/16" Socket	.30
No. 240	3/4" Socket	.40
No. 260	<sup>13</sup> / <sub>16</sub> " Socket	.40
No. 300 ½	<sup>15</sup> / <sub>16</sub> " Socket	.50
No. 1 Off	set	.80
No. 3 Lo	ng Tee	1.00
No. 5 Br	ace	1.50
No. S-5 Slie	ding Tee	.60
No. S-12 L	ong Ext. Bar	.60
No. 8 Un		1.50
Price, Sr	nap-on Stephens Set\$8.8	30
Leather	ette Kît Bag 5	0
Set com	plete—in carton\$9.3	0

Some of the important servicing jobs on the Stephens cars to which the above Snap-on tools are perfectly adapted:

	S'at. Size	Handle	Attachments
Shackle Bolts	15/16"	Sldg. T.	
Spring U. Bolts	7/8"	Sldg. T.	
Frame Support—Rear	25/32"	Sldg. T.	
Diff. Housing Plates	9/16"	Offset	
Dr. Shft. Pinion Housing		Offset	
Brake Rod & Adjust	1/2"	Sldg. T.	
Transmission Cover	9/16"	Long T.	
Trans. Housing to Bell	19/32"	Offset	
Motor Bolts	3/1"	Sldg. T.	
Clutch	5/8"	Offset	
Main Bearings	3/1"	Brace	4
Connecting Rod	58"	Long T.	
Crank Case	9/16"	Brace	10" Ex. Bar
Timing Gear	19:2"	Offset	
Oil Pump	9/16"	Offset	
Fan Adjustment Nut	13/16"	Offset	
Radiator Support	3/4"	Long T.	Univ. Jt.
Cylinder Head	3/4"	Brace	10" Ex. Bar
Water Head, Large Nuts	11/16" 9/16"	Brace	10" Ex. Bar
Water Head-Small	9/16"	Brace	10" Ex. Bar
Demountable Rims	3/4"	Brace	

#### STUDEBAKER

The selected Snap-on Kit for all late model Studebaker cars contains:

No. 140 7/6" Socket\$ .30
No. 160 1/2" Socket
No. 180 %6" Socket
No. 200 5/8" Socket
No. 240 34" Socket
No. 260 13/16" Socket
No. 280 7/8" Socket
No. 1 Offset
No. 3 Long tee 1.00
No. 5 Brace 1.50
No. S-5 Sliding tee
No. S-12 Long Extension Bar
Price, Snap-on Studebaker Set.\$6.90 Leatherette Kit Bag
Set complete—in carton\$7.40

Some of the important servicing jobs on the Studebaker cars to which the above Snap-on tools are perfectly adapted:

· ·	Skt. Size	Handle	Attachments
Cylinder Head	3/4"	Brace	10" Ex. Bar
Distributor Support	1/2"	Brace	10" Ex. Bar
Timing Gear Cover	9/16"	Sldg. T.	
Water Connection Top .	1/2"	Offset	
Spring Shackles	7/8"	Sldg. T.	
Diff. Housing, Rear	9/16"	Long T.	
Transmission	9/16"	Offset	
Oil Pan	1/2"	Long T.	
Connecting Rod	5/8"	Sldg. T.	10" Ex. Bar
Main Bearing	3/4"	Sldg. T.	10" Ex. Bar
Water Pump Connection	7/16"	Offset	
Coil Support	1/2"	Offset	
Fender to Frame	1/2"	Offset	
Spring Clip	9/16"	Sldg. T.	
Headlight Bracket	13/16"	Sldg. T.	
Demountable Rim	5/8"	Brace	
Exhaust Manifold	9/16"	Long T.	1
Motor Support	3/4"	Sldg. T.	}

# STUTZ 6 Cyl.

The selected Snap-on Kit for all late model Stutz 6-Cyl. cars contains:

No. 140	7/16" Socket	.30
No. 160	1/2" Socket	.30
No. 180	%16" Socket	.30
No. 190	<sup>19</sup> / <sub>32</sub> " Socket	.30
No. 220	<sup>1</sup> / <sub>16</sub> " Socket	.30
No. 240	3/4" Socket	.40
No. 260	<sup>13</sup> 16" Socket	.40
No. 280	7/8" Socket	.40
No. 300 1		.50
No. 414	7/16" Sq. Socket	.30
No. 416	1/2" Sq. Socket	.35
No. 1	Offset	.80
No. 3	Long Tee	1.00
No. S-5	Sliding Tee	. 60
No. S-6	Short Ext. Bar	. 55
	Snap-on Stutz 6 Cyl. Set .\$6.	
Leathe	erette Kit Bag	50
Set con	mplete—in carton\$7.	30

Some of the important servicing jobs on the Stutz 6 Cyl.
cars to which the above Snap-on tools
are perfectly adapted:

	Skt. Size	Handle	Attachments
Cylinder Head Bolts	3/4"	Sldg. T.	5" Ex. Bar
Timing Gear Case	1/2"	Offset	
Water Pump Flange	7/16"	Sldg. T.	
Motor Support	15/10	Sldg. T.	5" Ex. Bar
Water Pump Conn	1/2"	Sldg. T.	
Exhaust Manifold	3/4"	Long T.	
Steer. Worm Insp. Plate		Sldg. T.	
Steer. Worm Adj. Nut.	7/8"	Sldg. T.	5" Ex. Bar
Fr. Motor Support	3/4"	Sldg. T.	
Demountable Rims	11/16"	Long T.	
Spindle Arm	15/16"	Sldg. T.	5" Ex. Bar
Lower Half Cr. Case	1/2"	Sldg. T.	
Run. Board Brackets	1932"	Long T.	
Rear Spring Bolts	15/16"	Long T.	
Rear Axle Housing	9/16"	Sldg. T.	
Diff. Drain Plug	$\frac{7}{16}$ "sq.	Long T.	
Top & Bot. Adj. Nuts.	13/16"	Sldg. T.	5" Ex. Bar
Diff. Hous. Insp. Plug		Sldg. T.	5" Ex. Bar
	½" sq. 3/4"	Sldg. T.	J Ex. Dai
Radiator Support	9/16"	Sldg. T.	5" Ex. Bar
Connecting Rod	716		
Main Bearings	94	Sldg. T.	

# **VELIE**

#### The selected Snap-on Kit for all late model Velie cars contains:

No. 140	716"	Socket
No. 160	1/2"	Socket
No. 180	9/16"	Socket 30
No. 200	5/8"	Socket
No. 220	11/16"	Socket
No. 240	3/4"	Socket
No. 250	25/32"	Socket
No. 280	7/8"	Socket
No. 300 1/2	15/16"	Socket
No. 320 1/2		Socket
No. 418	9/16" Sq	Socket
No. 3		ee 1 . 00
No. S-5	Sliding '	Tee
No. S-12	Long. E	xt. Bar
		on Velie Set \$6.25 Kit Bag 50
Set o	omplete	-in carton\$6.75

Some of the important servicing jobs on the Velie cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Cylinder Head	5/8"	Long T.	
Valve Cover Plate	3/4"	Long T.	
Exhaust Manifold	5/8"	Long T.	
Timing Gear Cover	9/16"	Sldg. T.	
Motor Supports	3/4"	Sldg. T.	
Fan Belt Pulley	15/16	Sldg. T.	
Fan Adjustment	3/4"	Sldg. T.	
Cyl. Block Blts. to Case	5/8"	Sldg. T.	
Water Pump Conn	1/2"	Sldg. T.	
Generator Coupling	7/16"	Sldg. T.	
Cr. Case, lower half	9/16"	Long T.	
Tie Rod Adjustment	20/29	Sldg. T.	10" Ex. Bar
Spindle Arm Nut	7/6"	Sldg. T.	
Drag Link	1''	Sldg. T.	10" Ex. Bar
Radiator Support	3/4"	Sldg. T.	10" Ex. Bar
Demountable Rims	11/16"	Sldg. T.	
Diff. Cover Rr. and Fr.	9/16"	Sldg. T.	
Rear Spring Shackles	7/8"	Sldg. T.	
Rear Spring Clips	15/16"	Sldg. T.	
Rear Spring Clips Trans. Drain Plug Connection Rod Nuts	916"sq.	Sldg. T.	
Connection Rod Nuts	5/8"	Sldg. T.	
Main Bearing	3/4"	Sldg. T.	

# WILLYS KNIGHT

The selected Snap-on Kit for all late model Willys Knight cars contains:

No. 160	1/2" Socket \$ .30
No. 180	%16" Socket
No. 200	. 5/8" Socket
No. 220	11/16" Socket
No. 240	3/4" Socket
No. 300 1/2	15/16" Socket
No. 420	5/8" Sq. Socket
No. 10	Offset
	ong Tee 1.00
No. 5 B	Brace 1.50
No. S-5 S	liding Tee
No. S-12	Long Ex. Bar
Price, Sr	nap-on Willys Knight Set \$7.00
	ette Kit Bag

Some of the important servicing jobs on the Willys Knight cars to which the above Snap-on tools are perfectly adapted:

	01		
	Skt. Size	Handle	Attachments
Cylinder Head	11/6" 5/8"	Brace	10" Ex. Bar
Motor Block	5/8"	Offset	
Front End Cover	1/2"	Long T.	
Breather Cap	9/16"	Offset	
Steering Gear Case	5/8"	Offset	
Spring Clips	3/4"	Sldg. T.	
Wheel Nuts	11/16"	Brace	
Spring Shackles	15/_'/	Sldg. T.	
Demountable Rims	3/4	Brace	
Lamp Brackets	3/1"	Offset	
Oil Pan	3/4" 1/2" 5/8"	Brace	10" Ex. Bar
Connecting Rod	5/8"	Long T.	
Main Bearings	3/11	Offset	
Transmission Cover	1/2"	Long T.	
Differential Housing	1/2"	Offset	
Exhaust Manifold	11/16"	Long T.	
Oil Pump	1/2"	Offset	
Carburetor to Intake	11/16"	Offset	
Fender Brace	1/2"	Sldg. T.	
Fender and Running	, -		
Board Nuts	5/8" sq.	Long T.	
Board Nuts	5/91	Offset	

### WILLS ST. CLAIRE

The selected Snap-on Kit for all late model Wills St. Claire cars contains:

No. 140 %" Socket\$ .30	)
No. 160 1/2" Socket	)
No. 180 % Socket	)
No. 240 3/4" Socket	)
No. 300 ½ 15/16" Socket	)
No. 18 %6" Universal Socket 1.75	;
No. 1 Offset	)
No. 3 Long Tee	)
No. 5 Brace 1.50	)
No. S-5 Sliding Tee	)
No. S-6 Short Ex. Bar	,
Price, Snap-on Wills St. Claire Set. \$8.00	
Leatherette Kit Bag	
Set complete—in carton\$8.50	

Some of the important servicing jobs on the Wills St. Claire cars to which the above Snap-on tools are perfectly adapted:

	Skt. Size	Handle	Attachments
Lamp Brackets	3/4"	Offset	
Timing Gear Cover	1/2"	Long T.	
Motor Support	3/4"	Offset	
Motor Block to Base	%16"U.S.	Long T.	
Vertable Shaft Stud	7/10"	Long T.	
Fender Bolt	7/16"	Brace	5" Ex. Bar
Connecting Rod Fork	7/16"	Sldg. T.	5" Ex. Bar
Connecting Rod Reg	9/16"	Sidg. T.	5" Ex. Bar
Cam Shaft Cover	1/2"	Offset	
Main Bearings	3/4"	Sldg. T.	
Trans. Cover Plate	9/16"	Offset	
Spring Shackles	3/4"	Sldg. T.	
Distributor Support	%6"	Offset	
Differential Cover	9/16"	Offset	
Spring Shackles	15/16"	Sldg. T.	
Fender and Running	,		
Board Support	9/16"	Brace	5" Ex. Bar
Steering Brckt. to Frame	3/4"	Offset	